




Food Service  
Industrial  
Health Care  
Commercial


**Storage & Handling Equipment**



## Standard

Finish:  
**CHROME**  
**EP SERIES**  
**POLYFLBRITE**  
**NEXELON**  
**STAINLESS STEEL**


Capacity: 600 to  
800 lbs.  
See pages 5-7



## Solid Steel

Finish:  
**GALVANIZED**  
**STAINLESS STEEL**


Capacity: 400 to  
600 lbs.  
See page 9



## Solid Plastic

Finish:  
**SOLID**  
**PLASTIC**


Capacity: 300 lbs.  
See page 10



## Nexelite

Finish:  
**NEXELON**

Capacity: 400 lbs. to  
600 lbs.  
See page 11



## Heavy Duty/ Dunnage

Finish:  
**POLYFLBRITE**  
**NEXELON**

Capacity: 1000 to  
1600 lbs.  
See page 12-13


# SHELF TYPES



## E-Z Adjust

Finish:  
**CHROME**  
**POLY-BRITE**

Capacity: 400 lbs.  
See page 10



## Slant Shelf

Finish:  
**CHROME**


Capacity: 400 lbs.  
See page 15



## Wine Cradle Shelving

Finish:  
**CHROME**


Capacity: 100 lbs.  
See page 16



## Cantilever

Finish:  
**CHROME**


Capacity: 40 lbs.  
See page 19





# FINISH TYPES


**NEXEL** OFFERS FINISHES DESIGNED TO MEET THE REQUIREMENTS OF A WIDE RANGE OF STORAGE ENVIRONMENTS. EACH PROVIDES EXCEPTIONAL DURABILITY AND LASTING GOOD LOOKS. WHETHER YOUR NEEDS ARE ONE-FOLD OR VARIED, WE OFFER A FINISH THAT WILL COMPLIMENT YOUR WORKING CONDITIONS.



## **EP SERIES**

*Attractive And Economically Priced*


**EP SERIES** finish consists of a silver epoxy powder coat over a rust inhibiting undercoat. It is NSF listed for both wet and dry applications. This attractive and economically priced finish comes with a limited three-year warranty against rust and corrosion.



## **POLY-Z-BRITE™**

*TEN YEAR LIMITED WARRANTY Against Rust*


**POLY-Z-BRITE** features a true powder-epoxy over zinc-chromate electro-plating that ensures a strong durable finish that resembles the look of chrome, yet handles temperature and moisture extremes even better. Ten Year Limited Warranty against rust and corrosion. Ideal for dry storage, coolers and freezers. Includes **NEX Gard**, an anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew that causes stains, odors and product degradation.



## **NEXELON™**

*LIMITED LIFETIME WARRANTY Against Rust*


**NEXELON** is the top of the line finish. We are so confident about the quality of this revolutionary finish, that it comes with a Limited Lifetime Warranty against rust formation. **NEXELON** is protected by **NEX Gard**, an anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew, that causes stains, odors and degradation. Use throughout facility, handles all environmental conditions.



## **CHROME**

*A Brilliant Finish For The High-Tech Look*

**CHROME** is electro-plated nickel-chrome resulting in a brilliant high gloss finish. It is a quality finish that is both hard and durable with a high tech look at an economical price. This industry standard has proven to be a favorite and perfect for display and dry storage.



## **STAINLESS STEEL**

*Excellent Resistance To Rust And Corrosion*

**STAINLESS STEEL** provides stability and durability with a smooth, attractive, electro polished finish. Stainless Steel handles all moisture and temperature extremes. It resists rust and corrosion and is ideal for any storage requirements.

# WIRE SHELVING SYSTEMS



## Wire Shelf

Unique design offers high volume, easy access storage in a variety of finishes to suit your needs. Open wire truss reinforced shelves feature front to back welded surface ribs for added strength. Increases light penetration, free air circulation and merchandise visibility. Minimizes moisture and dust accumulation. Easily adjustable and expandable to change with your needs. Shelves adjust on 1" increments.

**AVAILABLE IN A VARIETY OF SIZES** Includes Shelf Clips

| W" x L" | EP SERIES<br>Model No. | POLYFLBRITE*<br>Model No. | NEXELON*<br>Model No. | CHROME<br>Model No. | STAINLESS STEEL<br>Model No. |
|---------|------------------------|---------------------------|-----------------------|---------------------|------------------------------|
| 14 x 24 | S1424EP                | S1424Z                    | S1424N                | S1424C              | ---                          |
| 14 x 30 | S1430EP                | S1430Z                    | S1430N                | S1430C              | ---                          |
| 14 x 36 | S1436EP                | S1436Z                    | S1436N                | S1436C              | ---                          |
| 14 x 42 | S1442EP                | S1442Z                    | S1442N                | S1442C              | ---                          |
| 14 x 48 | S1448EP                | S1448Z                    | S1448N                | S1448C              | ---                          |
| 14 x 54 | S1454EP                | S1454Z                    | S1454N                | S1454C              | ---                          |
| 14 x 60 | S1460EP                | S1460Z                    | S1460N                | S1460C              | ---                          |
| 14 x 72 | S1472EP                | S1472Z                    | S1472N                | S1472C              | ---                          |
| 18 x 24 | S1824EP                | S1824Z                    | S1824N                | S1824C              | ---                          |
| 18 x 30 | S1830EP                | S1830Z                    | S1830N                | S1830C              | ---                          |
| 18 x 36 | S1836EP                | S1836Z                    | S1836N                | S1836C              | S1836S                       |
| 18 x 42 | S1842EP                | S1842Z                    | S1842N                | S1842C              | ---                          |
| 18 x 48 | S1848EP                | S1848Z                    | S1848N                | S1848C              | S1848S                       |
| 18 x 54 | S1854EP                | S1854Z                    | S1854N                | S1854C              | ---                          |
| 18 x 60 | S1860EP                | S1860Z                    | S1860N                | S1860C              | S1860S                       |
| 18 x 72 | S1872EP                | S1872Z                    | S1872N                | S1872C              | S1872S                       |
| 21 x 24 | S2124EP                | S2124Z                    | S2124N                | S2124C              | ---                          |
| 21 x 30 | S2130EP                | S2130Z                    | S2130N                | S2130C              | ---                          |
| 21 x 36 | S2136EP                | S2136Z                    | S2136N                | S2136C              | ---                          |
| 21 x 42 | S2142EP                | S2142Z                    | S2142N                | S2142C              | ---                          |
| 21 x 48 | S2148EP                | S2148Z                    | S2148N                | S2148C              | ---                          |
| 21 x 54 | S2154EP                | S2154Z                    | S2154N                | S2154C              | ---                          |
| 21 x 60 | S2160EP                | S2160Z                    | S2160N                | S2160C              | ---                          |
| 21 x 72 | S2172EP                | S2172Z                    | S2172N                | S2172C              | ---                          |
| 24 x 24 | S2424EP                | S2424Z                    | S2424N                | S2424C              | ---                          |
| 24 x 30 | S2430EP                | S2430Z                    | S2430N                | S2430C              | ---                          |
| 24 x 36 | S2436EP                | S2436Z                    | S2436N                | S2436C              | S2436S                       |
| 24 x 42 | S2442EP                | S2442Z                    | S2442N                | S2442C              | ---                          |
| 24 x 48 | S2448EP                | S2448Z                    | S2448N                | S2448C              | S2448S                       |
| 24 x 54 | S2454EP                | S2454Z                    | S2454N                | S2454C              | ---                          |
| 24 x 60 | S2460EP                | S2460Z                    | S2460N                | S2460C              | S2460S                       |
| 24 x 72 | S2472EP                | S2472Z                    | S2472N                | S2472C              | S2472S                       |

| EXTRA WIDE CHROME SHELF |           |         |           |
|-------------------------|-----------|---------|-----------|
| W" x L"                 | Model No. | W" x L" | Model No. |
| 30 x 36                 | S3036C    | 36 x 36 | S3636C    |
| 30 x 48                 | S3048C    | 36 x 48 | S3648C    |
| 30 x 60                 | S3060C    | 36 x 60 | S3660C    |
| 30 x 72                 | S3072C    | 36 x 72 | S3672C    |




Shelves packed four per carton, except 54", 60", 72" long and all extra wide shelves, which are packed two per carton. Posts are packed four per carton.

## Post

No tools required. Rugged 1" diameter steel post is grooved and numbered. Shelves adjust on 1" increments. Shelf clips snap on post, allowing shelf collar to slide over for a secure fit. Includes floor leveler and plastic post cap.

| Size" | EP SERIES<br>Model No. | POLYFLBRITE*<br>Model No. | NEXELON*<br>Model No. | CHROME<br>Model No. | STAINLESS STEEL<br>Model No. |
|-------|------------------------|---------------------------|-----------------------|---------------------|------------------------------|
| 6     | ---                    | P6Z                       | P6N                   | P6C                 | ---                          |
| 14    | ---                    | P14Z                      | P14N                  | P14C                | ---                          |
| 34    | P34EP                  | P34Z                      | P34N                  | P34C                | ---                          |
| 54    | P54EP                  | P54Z                      | P54N                  | P54C                | ---                          |
| 63    | P63EP                  | P63Z                      | P63N                  | P63C                | P63S                         |
| 66    | ---                    | P66Z                      | ---                   | P66C                | ---                          |
| 74    | P74EP                  | P74Z                      | P74N                  | P74C                | P74S                         |
| 86    | P86EP                  | P86Z                      | P86N                  | P86C                | P86S                         |
| 96    | ---                    | ---                       | ---                   | P96C                | ---                          |

\*Protected by NEXGard



## EASY TO ASSEMBLE



Shelves adjust on 1" increments. Numbered posts for quick assembly.



Simply snap together and slide shelf over clips for positive locking.






# STARTER SHELVING UNITS



Model No.  
18366N



**Starter Unit** consists of 4 posts, 4 shelves and plastic shelf clips in the height and shelf size indicated. Select from 4 shelf or 5 shelf units in choice of finishes: Poly-Z-Brite, Chrome or Nexelon.



## Shelf Dividers

Installs easily without the use of bolts, nuts or clips. Attaches at any point along shelf. 8" high. Chrome or Silver Epoxy finish.

| Size" | CHROME Model No. | EP SERIES Model No. |
|-------|------------------|---------------------|
| 14    | AD814C           | AD814EP             |
| 18    | AD818C           | AD818EP             |
| 21    | AD821C           | AD821EP             |
| 24    | AD824C           | AD824EP             |

## Document Holder

Hooks onto wire shelf in any location. Chrome finish. 12<sup>3</sup>/<sub>8</sub>" x 2" x 8<sup>5</sup>/<sub>8</sub>".



Model No. AH

## Utility Basket

Organizes files and manuals. Open mesh design provides high visibility. Chrome finish. 17<sup>3</sup>/<sub>8</sub>" x 7<sup>1</sup>/<sub>2</sub>" x 10".



Model No.  
ASW177

## Ledges



Snaps onto perimeter of shelf providing 4"H retaining ledge. If higher ledge is required, stack for 8", 12", etc. Chrome or Silver epoxy finish.

| Size" | EP CHROME SERIES |           |       | EPOXY CHROME SERIES |           |
|-------|------------------|-----------|-------|---------------------|-----------|
|       | Model No.        | Model No. | Size" | Model No.           | Model No. |
| 14    | AL414C           | AL414EP   | 42    | AL442C              | AL442EP   |
| 18    | AL418C           | AL418EP   | 48    | AL448C              | AL448EP   |
| 21    | AL421C           | AL421EP   | 54    | AL454C              | AL454EP   |
| 24    | AL424C           | AL424EP   | 60    | AL460C              | AL460EP   |
| 30    | AL430C           | AL430EP   | 72    | AL472C              | AL472EP   |
| 36    | AL436C           | AL436EP   | ---   | ---                 | ---       |

| Size W" x L" | 4 SHELVES - 63"H       |                  |                    | 4 SHELVES - 74"H       |                  |                    | 4 SHELVES - 86"H       |                  |                    |
|--------------|------------------------|------------------|--------------------|------------------------|------------------|--------------------|------------------------|------------------|--------------------|
|              | POLY-FBRITE* Model No. | CHROME Model No. | NEXELON* Model No. | POLY-FBRITE* Model No. | CHROME Model No. | NEXELON* Model No. | POLY-FBRITE* Model No. | CHROME Model No. | NEXELON* Model No. |
| 18 x 24      | 18246Z                 | 18246C           | 18246N             | 18247Z                 | 18247C           | 18247N             | 18248Z                 | 18248C           | 18248N             |
| 18 x 30      | 18306Z                 | 18306C           | 18306N             | 18307Z                 | 18307C           | 18307N             | 18308Z                 | 18308C           | 18308N             |
| 18 x 36      | 18366Z                 | 18366C           | 18366N             | 18367Z                 | 18367C           | 18367N             | 18368Z                 | 18368C           | 18368N             |
| 18 x 42      | 18426Z                 | 18426C           | 18426N             | 18427Z                 | 18427C           | 18427N             | 18428Z                 | 18428C           | 18428N             |
| 18 x 48      | 18486Z                 | 18486C           | 18486N             | 18487Z                 | 18487C           | 18487N             | 18488Z                 | 18488C           | 18488N             |
| 18 x 54      | 18546Z                 | 18546C           | 18546N             | 18547Z                 | 18547C           | 18547N             | 18548Z                 | 18548C           | 18548N             |
| 18 x 60      | 18606Z                 | 18606C           | 18606N             | 18607Z                 | 18607C           | 18607N             | 18608Z                 | 18608C           | 18608N             |
| 18 x 72      | 18726Z                 | 18726C           | 18726N             | 18727Z                 | 18727C           | 18727N             | 18728Z                 | 18728C           | 18728N             |
| 21 x 24      | 21246Z                 | 21246C           | 21246N             | 21247Z                 | 21247C           | 21247N             | 21248Z                 | 21248C           | 21248N             |
| 21 x 30      | 21306Z                 | 21306C           | 21306N             | 21307Z                 | 21307C           | 21307N             | 21308Z                 | 21308C           | 21308N             |
| 21 x 36      | 21366Z                 | 21366C           | 21366N             | 21367Z                 | 21367C           | 21367N             | 21368Z                 | 21368C           | 21368N             |
| 21 x 42      | 21426Z                 | 21426C           | 21426N             | 21427Z                 | 21427C           | 21427N             | 21428Z                 | 21428C           | 21428N             |
| 21 x 48      | 21486Z                 | 21486C           | 21486N             | 21487Z                 | 21487C           | 21487N             | 21488Z                 | 21488C           | 21488N             |
| 21 x 54      | 21546Z                 | 21546C           | 21546N             | 21547Z                 | 21547C           | 21547N             | 21548Z                 | 21548C           | 21548N             |
| 21 x 60      | 21606Z                 | 21606C           | 21606N             | 21607Z                 | 21607C           | 21607N             | 21608Z                 | 21608C           | 21608N             |
| 21 x 72      | 21726Z                 | 21726C           | 21726N             | 21727Z                 | 21727C           | 21727N             | 21728Z                 | 21728C           | 21728N             |
| 24 x 24      | 24246Z                 | 24246C           | 24246N             | 24247Z                 | 24247C           | 24247N             | 24248Z                 | 24248C           | 24248N             |
| 24 x 30      | 24306Z                 | 24306C           | 24306N             | 24307Z                 | 24307C           | 24307N             | 24308Z                 | 24308C           | 24308N             |
| 24 x 36      | 24366Z                 | 24366C           | 24366N             | 24367Z                 | 24367C           | 24367N             | 24368Z                 | 24368C           | 24368N             |
| 24 x 42      | 24426Z                 | 24426C           | 24426N             | 24427Z                 | 24427C           | 24427N             | 24428Z                 | 24428C           | 24428N             |
| 24 x 48      | 24486Z                 | 24486C           | 24486N             | 24487Z                 | 24487C           | 24487N             | 24488Z                 | 24488C           | 24488N             |
| 24 x 54      | 24546Z                 | 24546C           | 24546N             | 24547Z                 | 24547C           | 24547N             | 24548Z                 | 24548C           | 24548N             |
| 24 x 60      | 24606Z                 | 24606C           | 24606N             | 24607Z                 | 24607C           | 24607N             | 24608Z                 | 24608C           | 24608N             |
| 24 x 72      | 24726Z                 | 24726C           | 24726N             | 24727Z                 | 24727C           | 24727N             | 24728Z                 | 24728C           | 24728N             |


NOTE: FOR 5 SHELF UNITS PLEASE CONSULT YOUR NEXEL PRICE LIST.

\* Protected by NEXGard

# WIRE SHELVING SYSTEMS



**Add-On Unit** consists of 2 posts, 4 shelves, plastic shelf clips and two S-hooks for each shelf.



| Size<br>W" x L" | 4 SHELVES - 63"H              |                     |                             | 4 SHELVES - 74"H              |                     |                             | 4 SHELVES - 86"H              |                     |                             |
|-----------------|-------------------------------|---------------------|-----------------------------|-------------------------------|---------------------|-----------------------------|-------------------------------|---------------------|-----------------------------|
|                 | <i>POLYBRITE</i><br>Model No. | CHROME<br>Model No. | <i>NEXELON</i><br>Model No. | <i>POLYBRITE</i><br>Model No. | CHROME<br>Model No. | <i>NEXELON</i><br>Model No. | <i>POLYBRITE</i><br>Model No. | CHROME<br>Model No. | <i>NEXELON</i><br>Model No. |
| 18 x 24         | A18246Z                       | A18246C             | A18246N                     | A18247Z                       | A18247C             | A18247N                     | A18248Z                       | A18248C             | A18248N                     |
| 18 x 30         | A18306Z                       | A18306C             | A18306N                     | A18307Z                       | A18307C             | A18307N                     | A18308Z                       | A18308C             | A18308N                     |
| 18 x 36         | A18366Z                       | A18366C             | A18366N                     | A18367Z                       | A18367C             | A18367N                     | A18368Z                       | A18368C             | A18368N                     |
| 18 x 42         | A18426Z                       | A18426C             | A18426N                     | A18427Z                       | A18427C             | A18427N                     | A18428Z                       | A18428C             | A18428N                     |
| 18 x 48         | A18486Z                       | A18486C             | A18486N                     | A18487Z                       | A18487C             | A18487N                     | A18488Z                       | A18488C             | A18488N                     |
| 18 x 54         | A18546Z                       | A18546C             | A18546N                     | A18547Z                       | A18547C             | A18547N                     | A18548Z                       | A18548C             | A18548N                     |
| 18 x 60         | A18606Z                       | A18606C             | A18606N                     | A18607Z                       | A18607C             | A18607N                     | A18608Z                       | A18608C             | A18608N                     |
| 18 x 72         | A18726Z                       | A18726C             | A18726N                     | A18727Z                       | A18727C             | A18727N                     | A18728Z                       | A18728C             | A18728N                     |
| 21 x 24         | A21246Z                       | A21246C             | A21246N                     | A21247Z                       | A21247C             | A21247N                     | A21248Z                       | A21248C             | A21248N                     |
| 21 x 30         | A21306Z                       | A21306C             | A21306N                     | A21307Z                       | A21307C             | A21307N                     | A21308Z                       | A21308C             | A21308N                     |
| 21 x 36         | A21366Z                       | A21366C             | A21366N                     | A21367Z                       | A21367C             | A21367N                     | A21368Z                       | A21368C             | A21368N                     |
| 21 x 42         | A21426Z                       | A21426C             | A21426N                     | A21427Z                       | A21427C             | A21427N                     | A21428Z                       | A21428C             | A21428N                     |
| 21 x 48         | A21486Z                       | A21486C             | A21486N                     | A21487Z                       | A21487C             | A21487N                     | A21488Z                       | A21488C             | A21488N                     |
| 21 x 54         | A21546Z                       | A21546C             | A21546N                     | A21547Z                       | A21547C             | A21547N                     | A21548Z                       | A21548C             | A21548N                     |
| 21 x 60         | A21606Z                       | A21606C             | A21606N                     | A21607Z                       | A21607C             | A21607N                     | A21608Z                       | A21608C             | A21608N                     |
| 21 x 72         | A21726Z                       | A21726C             | A21726N                     | A21727Z                       | A21727C             | A21727N                     | A21728Z                       | A21728C             | A21728N                     |
| 24 x 24         | A24246Z                       | A24246C             | A24246N                     | A24247Z                       | A24247C             | A24247N                     | A24248Z                       | A24248C             | A24248N                     |
| 24 x 30         | A24306Z                       | A24306C             | A24306N                     | A24307Z                       | A24307C             | A24307N                     | A24308Z                       | A24308C             | A24308N                     |
| 24 x 36         | A24366Z                       | A24366C             | A24366N                     | A24367Z                       | A24367C             | A24367N                     | A24368Z                       | A24368C             | A24368N                     |
| 24 x 42         | A24426Z                       | A24426C             | A24426N                     | A24427Z                       | A24427C             | A24427N                     | A24428Z                       | A24428C             | A24428N                     |
| 24 x 48         | A24486Z                       | A24486C             | A24486N                     | A24487Z                       | A24487C             | A24487N                     | A24488Z                       | A24488C             | A24488N                     |
| 24 x 54         | A24546Z                       | A24546C             | A24546N                     | A24547Z                       | A24547C             | A24547N                     | A24548Z                       | A24548C             | A24548N                     |
| 24 x 60         | A24606Z                       | A24606C             | A24606N                     | A24607Z                       | A24607C             | A24607N                     | A24608Z                       | A24608C             | A24608N                     |
| 24 x 72         | A24726Z                       | A24726C             | A24726N                     | A24727Z                       | A24727C             | A24727N                     | A24728Z                       | A24728C             | A24728N                     |

NOTE: FOR 5 SHELF UNITS PLEASE CONSULT YOUR NEXEL PRICE LIST.

\* Protected by NEX Gard

Food Service • Health Care • Industrial • Commercial



# SPECIALTY WIRE SHELVING

## Extra-Wide Wire Bulk Rack



SHOWN WITH OPTIONAL LEDGES AND DIVIDERS


## Triangle Shelves



Triangular Shelving Unit using 4 triangle shelves and 3 posts.

Durable **30" and 36" deep Wire Shelving** is reinforced for extra-strength with front-to-back welded ribs. Functional wire shelf design enables airflow and the penetration of light and sprinklers, while helping to minimize dust accumulation. Offers convenient access from all sides. Shelves adjust on 1" increments. Just snap shelf clips together and slide shelves over posts for positive locking. Starter Unit consists of 4 posts, 3 shelves. Easily configurable into "U", "T", or "L" shaped racks by connecting Add-on Unit that consists of 2 posts, 3 shelves and 6 "S" Hooks. 600 lb. capacity shelves. Chrome finish.

| LEDGES   |           |
|----------|-----------|
| Size"    | Model No. |
| 30       | AL430C    |
| 36       | AL436C    |
| 48       | AL448C    |
| 60       | AL460C    |
| 72       | AL472C    |
| DIVIDERS |           |
| 30       | AD830C    |
| 36       | AD836C    |



Put unused corner space to work. Shelf sizes correspond to width (depth) of shelving for add-on capability. Shelves attach to standard Nexel posts. Order post separately. Chrome Finish.

| Size W" x L" | 3 SHELF STARTER    |                    |                    | 3 SHELF ADD-ON     |                    |                    |
|--------------|--------------------|--------------------|--------------------|--------------------|--------------------|--------------------|
|              | 63" High Model No. | 74" High Model No. | 86" High Model No. | 63" High Model No. | 74" High Model No. | 86" High Model No. |
| 30 x 36      | 30366C             | 30367C             | 30368C             | A30366C            | A30367C            | A30368C            |
| 30 x 48      | 30486C             | 30487C             | 30488C             | A30486C            | A30487C            | A30488C            |
| 30 x 60      | 30606C             | 30607C             | 30608C             | A30606C            | A30607C            | A30608C            |
| 30 x 72      | 30726C             | 30727C             | 30728C             | A30726C            | A30727C            | A30728C            |
| 36 x 36      | 36366C             | 36367C             | 36368C             | A36366C            | A36367C            | A36368C            |
| 36 x 48      | 36486C             | 36487C             | 36488C             | A36486C            | A36487C            | A36488C            |
| 36 x 60      | 36606C             | 36607C             | 36608C             | A36606C            | A36607C            | A36608C            |
| 36 x 72      | 36726C             | 36727C             | 36728C             | A36726C            | A36727C            | A36728C            |

| Size" | Model No. | A" | B" | C" | D" |
|-------|-----------|----|----|----|----|
| 18    | ST18C     | 17 | 17 | 24 | 13 |
| 24    | ST24C     | 23 | 23 | 32 | 16 |



## Choice of Galvanized or Stainless Steel

**Solid Shelf Shelving Units** accept a variety of accessories to adapt to your changing needs. Dual layer construction provides maximum rigidity and strength. Open styling allows shelves to be reached from all sides for the ultimate in space efficiency. Fast, easy assembly, no tools required. Shelves with plastic shelf clips easily lock into place on posts and are adjustable on 1" increments. Leveling feet compensate for uneven floor surfaces. Finished in attractive, temperature and moisture resistant Galvanized or Stainless Steel. Up to a 600 lb. capacity per shelf.



Starter unit consists of 4 posts, 4 shelves and plastic shelf clips. Add-on unit consists of 2 posts, 4 shelves, plastic shelf clips and two joining clamps per shelf.



Durable 18 gauge steel shelf adds versatility to open wire units and allows for display style storage of small equipment and instruments that might fall through wire shelves.

| Galvanized<br>W" x L" | 63" High Unit        |                     | 74" High Unit        |                     | 86" High Unit        |                     |
|-----------------------|----------------------|---------------------|----------------------|---------------------|----------------------|---------------------|
|                       | Starter<br>Model No. | Add-On<br>Model No. | Starter<br>Model No. | Add-On<br>Model No. | Starter<br>Model No. | Add-On<br>Model No. |
| 18 x 36               | 18366SZ              | A18366SZ            | 18367SZ              | A18367SZ            | 18368SZ              | A18368SZ            |
| 18 x 48               | 18486SZ              | A18486SZ            | 18487SZ              | A18487SZ            | 18488SZ              | A18488SZ            |
| 18 x 60               | 18606SZ              | A18606SZ            | 18607SZ              | A18607SZ            | 18608SZ              | A18608SZ            |
| 18 x 72               | 18726SZ              | A18726SZ            | 18727SZ              | A18727SZ            | 18728SZ              | A18728SZ            |
| 24 x 36               | 24366SZ              | A24366SZ            | 24367SZ              | A24367SZ            | 24368SZ              | A24368SZ            |
| 24 x 48               | 24486SZ              | A24486SZ            | 24487SZ              | A24487SZ            | 24488SZ              | A24488SZ            |
| 24 x 60               | 24606SZ              | A24606SZ            | 24607SZ              | A24607SZ            | 24608SZ              | A24608SZ            |
| 24 x 72               | 24726SZ              | A24726SZ            | 24727SZ              | A24727SZ            | 24728SZ              | A24728SZ            |

| Stainless<br>W" x L" | Starter   | Add-On    | Starter   | Add-On    | Starter   | Add-On    |
|----------------------|-----------|-----------|-----------|-----------|-----------|-----------|
|                      | Model No. | Model No. | Model No. | Model No. | Model No. | Model No. |
| 18 x 36              | 18366SS   | A18366SS  | 18367SS   | A18367SS  | 18368SS   | A18368SS  |
| 24 x 36              | 24366SS   | A24366SS  | 24367SS   | A24367SS  | 24368SS   | A24368SS  |
| 24 x 48              | 24486SS   | A24486SS  | 24487SS   | A24487SS  | 24488SS   | A24488SS  |

| Galvanized<br>W" x L" | Stainless | Galvanized<br>W" x L" | Stainless |
|-----------------------|-----------|-----------------------|-----------|
|                       | Model No. |                       | Model No. |
| 18 x 36               | S1836SZ   | 24 x 36               | S2436SZ   |
| 18 x 48               | S1848SZ   | 24 x 48               | S2448SZ   |
| 18 x 60               | S1860SZ   | 24 x 60               | S2460SZ   |
| 18 x 72               | S1872SZ   | 24 x 72               | S2472SZ   |



### Rods & Clips

Enclose the sides and/or back of a solid shelving unit with easily installed rods. Rod hooks over outer edge of shelf and attaches to shelf with a spring clip. One spring clip is required for every shelf to rod connection. Each rod includes four clips. Order additional clips for units with more than four shelves.

| Size"      | Model No. |
|------------|-----------|
| 52         | SR54C     |
| 60         | SR63C     |
| 72         | SR74C     |
| 84         | SR86C     |
| Extra Clip | SRT       |



### Joining Clamp

For add-on units. Use two per shelf.  
Model No. SJC

### Shelf Dividers

Increase shelf versatility with 8" high dividers that allow you to compartmentalize and keep contents in order. Easily attaches to solid shelf. Includes clips.

| Size" | Model No. |
|-------|-----------|
| 18    | SD18C     |
| 24    | SD24C     |



### Shelf Ledges

Keep items on shelves during transport with 4" ledges. Allows you to increase items on shelf. Includes clips.

| Size" | Model No. |
|-------|-----------|
| 18    | SL18C     |
| 24    | SL24C     |
| 36    | SL36C     |
| 48    | SL48C     |
| 60    | SL60C     |
| 72    | SL72C     |



**NOTE:** All accessories are finished in a bright chrome.



# SPECIALTY SHELVING



REPOSITION SUSPENSION HOOKS TO ADJUST SHELVES IN SECONDS!

## E-Z Adjust Wire Shelving

**Unique E-Z Adjust** suspension hooks allow middle shelves to be adjusted, added or removed in seconds without disassembling entire unit. Simply lift shelf off post hooks and reposition to desired height. No tools. Features all the benefits of open wire shelving, minimizes dust accumulation, maximizes visibility, light and sprinkler penetration, and air circulation. Unit includes four posts, two standard shelves for stability at the top and bottom, and two E-Z Adjust shelves. E-Z Adjust Shelves have a 400 lb. capacity per shelf. All shelves adjust on 1" increments. Available in Chrome or **POLYBRITE**.



| W" x L" | CHROME             |                    |                    |
|---------|--------------------|--------------------|--------------------|
|         | 63" HIGH Model No. | 74" HIGH Model No. | 86" HIGH Model No. |
| 18 x 36 | 18366AC            | 18367AC            | 18368AC            |
| 18 x 48 | 18486AC            | 18487AC            | 18488AC            |
| 18 x 60 | 18606AC            | 18607AC            | 18608AC            |
| 18 x 72 | 18726AC            | 18727AC            | 18728AC            |
| 24 x 36 | 24366AC            | 24367AC            | 24368AC            |
| 24 x 48 | 24486AC            | 24487AC            | 24488AC            |
| 24 x 60 | 24606AC            | 24607AC            | 24608AC            |
| 24 x 72 | 24726AC            | 24727AC            | 24728AC            |

| W" x L" | POLYBRITE*         |                    |                    |
|---------|--------------------|--------------------|--------------------|
|         | 63" HIGH Model No. | 74" HIGH Model No. | 86" HIGH Model No. |
| 18 x 36 | 18366AZ            | 18367AZ            | 18368AZ            |
| 18 x 48 | 18486AZ            | 18487AZ            | 18488AZ            |
| 18 x 60 | 18606AZ            | 18607AZ            | 18608AZ            |
| 18 x 72 | 18726AZ            | 18727AZ            | 18728AZ            |
| 24 x 36 | 24366AZ            | 24367AZ            | 24368AZ            |
| 24 x 48 | 24486AZ            | 24487AZ            | 24488AZ            |
| 24 x 60 | 24606AZ            | 24607AZ            | 24608AZ            |
| 24 x 72 | 24726AZ            | 24727AZ            | 24728AZ            |

| W" x L" | E-Z ADJUST SHELF |                      |
|---------|------------------|----------------------|
|         | CHROME Model No. | POLYBRITE* Model No. |
| 18 x 36 | S1836AC          | S1836AZ              |
| 18 x 48 | S1848AC          | S1848AZ              |
| 18 x 60 | S1860AC          | S1860AZ              |
| 18 x 72 | S1872AC          | S1872AZ              |
| 24 x 36 | S2436AC          | S2436AZ              |
| 24 x 48 | S2448AC          | S2448AZ              |
| 24 x 60 | S2460AC          | S2460AZ              |
| 24 x 72 | S2472AC          | S2472AZ              |



## Solid Plastic Shelving

Conveniently helps you organize storage space in warehouses, stockrooms and in any work environment! Constructed of durable, rust and stain resistant plastic that cleans with ease. Raised lip, surrounding the edge of each shelf, prevents spills from overflowing. Shelves adjust in 1" increments on all Nexel post types. Attach optional casters to move frequently used products to the work area as needed. 300 lb. capacity per shelf. Shelving unit consists of 4 solid plastic shelves and 4 posts. To order Casters, see page 31.

| W" x L" x H" | SHELVING UNIT    |                      |                    |
|--------------|------------------|----------------------|--------------------|
|              | CHROME Model No. | POLYBRITE* Model No. | NEXELON* Model No. |
| 18 x 36 x 63 | 18366CSP         | 18366ZSP             | 18366NSP           |
| 24 x 48 x 63 | 24486CSP         | 24486ZSP             | 24486NSP           |
| 18 x 36 x 74 | 18367CSP         | 18367ZSP             | 18367NSP           |
| 24 x 48 x 74 | 24487CSP         | 24487ZSP             | 24487NSP           |

| SHELVES |           |
|---------|-----------|
| W" x L" | Model No. |
| 18 x 36 | S1836SP   |
| 24 x 48 | S2448SP   |

\* Protected by NEXGard

# PLASTIC MAT SHELVING



## NEXELITE™

### Plastic Mat Shelving

Versatile storage system is perfect for storing all your goods, materials and inventory. Sturdy frame comes in **NEXELON** finish. **NEXELON** is protected by **Nexgard**, an anti-microbial agent that protects the epoxy coating from bacteria, mold and mildew that causes stains, odors and degradation. Polymer composition shelf mats are of a modular design allowing easy removal for cleaning. They have a vented open grid surface that is smooth and crevice-free. Polymer material will never dent, chip, rust, or corrode. Open on all four sides for complete access and superior ventilation. Shelves adjust on 1" increments and have a up to a 600 lb. capacity. Shelving unit consists of 4 Nexelite shelves and 4 posts. Casters mobilize your storage system for quick and easy transportation. To order Casters, see page 31.

**SHELVES** - Consist of frame and tan plastic mats.

#### NEXELON® NEXELITE SHELVING UNIT

| W" x L" | NEXELON® Model No. | W" x L" | 63" High Model No. | 74" High Model No. | 86" High Model No. |
|---------|--------------------|---------|--------------------|--------------------|--------------------|
| 18 x 30 | PM1830N            | 18 x 30 | PM18306N           | PM18307N           | PM18308N           |
| 18 x 36 | PM1836N            | 18 x 36 | PM18366N           | PM18367N           | PM18368N           |
| 18 x 42 | PM1842N            | 18 x 42 | PM18426N           | PM18427N           | PM18428N           |
| 18 x 48 | PM1848N            | 18 x 48 | PM18486N           | PM18487N           | PM18488N           |
| 18 x 54 | PM1854N            | 18 x 54 | PM18546N           | PM18547N           | PM18548N           |
| 18 x 60 | PM1860N            | 18 x 60 | PM18606N           | PM18607N           | PM18608N           |
| 18 x 72 | PM1872N            | 18 x 72 | PM18726N           | PM18727N           | PM18728N           |
| 21 x 30 | PM2130N            | 21 x 30 | PM21306N           | PM21307N           | PM21308N           |
| 21 x 36 | PM2136N            | 21 x 36 | PM21366N           | PM21367N           | PM21368N           |
| 21 x 42 | PM2142N            | 21 x 42 | PM21426N           | PM21427N           | PM21428N           |
| 21 x 48 | PM2148N            | 21 x 48 | PM21486N           | PM21487N           | PM21488N           |
| 21 x 54 | PM2154N            | 21 x 54 | PM21546N           | PM21547N           | PM21548N           |
| 21 x 60 | PM2160N            | 21 x 60 | PM21606N           | PM21607N           | PM21608N           |
| 21 x 72 | PM2172N            | 21 x 72 | PM21726N           | PM21727N           | PM21728N           |
| 24 x 30 | PM2430N            | 24 x 30 | PM24306N           | PM24307N           | PM24308N           |
| 24 x 36 | PM2436N            | 24 x 36 | PM24366N           | PM24367N           | PM24368N           |
| 24 x 42 | PM2442N            | 24 x 42 | PM24426N           | PM24427N           | PM24428N           |
| 24 x 48 | PM2448N            | 24 x 48 | PM24486N           | PM24487N           | PM24488N           |
| 24 x 54 | PM2454N            | 24 x 54 | PM24546N           | PM24547N           | PM24548N           |
| 24 x 60 | PM2460N            | 24 x 60 | PM24606N           | PM24607N           | PM24608N           |
| 24 x 72 | PM2472N            | 24 x 72 | PM24726N           | PM24727N           | PM24728N           |



### Tray Drying/Storage Racks

Ideal for both tray drying and storage. The modules fit on any 24" wide shelf. Modules come in 12" and 16" lengths. Combine modules to fit any length shelf. Uprights are spaced 1.75" apart. Modules fit over shelves. Poly Z Brite finish.

| W" x L" x H"     | Tray Capacity | Model No. |
|------------------|---------------|-----------|
| 24 x 12 x 8 1/2" | 7             | TR1224Z   |
| 24 x 16 x 8 1/2" | 9             | TR1624Z   |



### Label Holder



|                 |        |
|-----------------|--------|
| 3" LABEL HOLDER |        |
| Model No.       | ABM3PM |

### Ledges

Snaps onto perimeter of shelf providing 4"H retaining ledge. **POLYBRITE** finish.

| Size" | Model No. | Size" | Model No. |
|-------|-----------|-------|-----------|
| 18    | PML18Z    | 42    | PML42Z    |
| 21    | PML21Z    | 48    | PML48Z    |
| 24    | PML24Z    | 54    | PML54Z    |
| 30    | PML30Z    | 60    | PML60Z    |
| 36    | PML36Z    | 72    | PML72Z    |

### Shelf Dividers

Installs easily without the use of bolts or nuts. 8" high. **POLYBRITE** finish.



| Size"                | Model No. |
|----------------------|-----------|
| 18                   | PMD18Z    |
| 21                   | PMD21Z    |
| 24                   | PMD24Z    |
| Extra Clips (16/Bag) | PMC16     |



# HEAVY DUTY SHELVING

## Heavy Duty Shelving

Ideal for high density storage. Maintenance free construction. 2400 lb. capacity unit, 1300 - 1600 lbs. capacity per shelf depending upon size. Adjustable on 1" increments for maximum versatility. Open design minimizes dust accumulation while ensuring light and air circulation. Shelving consists of four posts and four shelves with plastic shelf clips.



| W" x L" x H" | POLYFLBRITE* NEXELON* |           |
|--------------|-----------------------|-----------|
|              | Model No.             | Model No. |
| 18 x 36 x 63 | DS18366Z              | DS18366N  |
| 18 x 48 x 63 | DS18486Z              | DS18486N  |
| 24 x 36 x 63 | DS24366Z              | DS24366N  |
| 24 x 48 x 63 | DS24486Z              | DS24486N  |
| 18 x 36 x 74 | DS18367Z              | DS18367N  |
| 18 x 48 x 74 | DS18487Z              | DS18487N  |
| 24 x 36 x 74 | DS24367Z              | DS24367N  |
| 24 x 48 x 74 | DS24487Z              | DS24487N  |

## Container Rack

Organized **Container** and **Keg** storage will save time and space. Rack provides strong stable storage without wasted space. Unit features three heavy duty dunnage shelves and two reinforced three-sided steel frames. Top wire shelf allows you to store related accessories within reach.

| W" x L" x H" | Keg Cap. | POLYFLBRITE* NEXELON* |           |
|--------------|----------|-----------------------|-----------|
|              |          | Model No.             | Model No. |
| 18 x 48 x 54 | 4        | BK18485Z              | BK18485N  |
| 18 x 60 x 54 | 6        | BK18605Z              | BK18605N  |
| 18 x 48 x 63 | 4        | BK18486Z              | BK18486N  |
| 18 x 60 x 63 | 6        | BK18606Z              | BK18606N  |



## Syrup Tank Racks



Keeps tanks off the floor and accessible. Retaining chain allows easy removal of tanks for changing or refills. Rack includes one heavy duty shelf, three-sided frame, four - 34" posts with adjustable floor levelers and post caps. Link chain not included.


| W" x L" x H" | Load Capacity | POLYFLBRITE* NEXELON* |           |
|--------------|---------------|-----------------------|-----------|
|              |               | Model No.             | Model No. |
| 24 x 30 x 34 | 1600 lbs.     | ST2430Z               | ST2430N   |
| 24 x 48 x 34 | 1300 lbs.     | ST2448Z               | ST2448N   |

## Dunnage Shelves

Constructed of 1" square steel tubing with removable wire decking.

| W" x L" | Load Capacity | Model No. POLYFLBRITE* NEXELON* |          |
|---------|---------------|---------------------------------|----------|
|         |               | POLYFLBRITE*                    | NEXELON* |
| 18 x 24 | 1600          | DS1824Z                         | DS1824N  |
| 18 x 30 | 1600          | DS1830Z                         | DS1830N  |
| 18 x 36 | 1600          | DS1836Z                         | DS1836N  |
| 18 x 48 | 1300          | DS1848Z                         | DS1848N  |
| 18 x 60 | 1000          | DS1860Z                         | DS1860N  |
| 24 x 24 | 1600          | DS2424Z                         | DS2424N  |
| 24 x 30 | 1600          | DS2430Z                         | DS2430N  |
| 24 x 36 | 1600          | DS2436Z                         | DS2436N  |
| 24 x 48 | 1300          | DS2448Z                         | DS2448N  |
| 24 x 60 | 1000          | DS2460Z                         | DS2460N  |

## Three-Sided Frames



Constructed of 1" square steel tubing. Used when the structural integrity of a shelf is desired without decking.

\*Protected by NEX Gard


| W" x L" | POLYFLBRITE* NEXELON* |           |
|---------|-----------------------|-----------|
|         | Model No.             | Model No. |
| 18 x 24 | DF1824Z               | DF1824N   |
| 18 x 30 | DF1830Z               | DF1830N   |
| 18 x 36 | DF1836Z               | DF1836N   |
| 18 x 48 | DF1848Z               | DF1848N   |
| 18 x 60 | DF1860Z               | DF1860N   |
| 24 x 24 | DF2424Z               | DF2424N   |
| 24 x 30 | DF2430Z               | DF2430N   |
| 24 x 36 | DF2436Z               | DF2436N   |
| 24 x 48 | DF2448Z               | DF2448N   |
| 24 x 60 | DF2460Z               | DF2460N   |

# RACKS & PLATFORMS



## Heavy Duty Dunnage Racks

**Low Profile Rack** maximizes storage space, while allowing you to keep floor clear. Open front, three sided frame allows for easy cleaning underneath. 14"H dunnage rack includes a removable top deck, a three sided frame, post caps and adjustable floor levelers.




| W" x L" | Load Capacity | <i>POLYFLBRITE*</i> | <i>NEXELON*</i> |
|---------|---------------|---------------------|-----------------|
|         |               | Model No.           | Model No.       |
| 18 x 24 | 1600          | DR1824Z             | DR1824N         |
| 18 x 30 | 1600          | DR1830Z             | DR1830N         |
| 18 x 36 | 1600          | DR1836Z             | DR1836N         |
| 18 x 48 | 1300          | DR1848Z             | DR1848N         |
| 18 x 60 | 1000          | DR1860Z             | DR1860N         |
| 24 x 24 | 1600          | DR2424Z             | DR2424N         |
| 24 x 30 | 1600          | DR2430Z             | DR2430N         |
| 24 x 36 | 1600          | DR2436Z             | DR2436N         |
| 24 x 48 | 1300          | DR2448Z             | DR2448N         |
| 24 x 60 | 1000          | DR2460Z             | DR2460N         |

## Mobile Dunnage Rack

Allows you to store and transport food supplies, boxes or other merchandise without loading and unloading. 12"H dunnage rack includes a removable top deck, a three sided frame and four - 5" rubber wheel swivel casters with donut bumpers. 800 lb. capacity.

**NOTE:** Brake casters can be ordered for added stability, for other capacities and wheel types order by components.



| W" x L" | <i>POLYFLBRITE*</i> | <i>NEXELON*</i> |
|---------|---------------------|-----------------|
|         | Model No.           | Model No.       |
| 18 x 24 | DM1824Z             | DM1824N         |
| 18 x 30 | DM1830Z             | DM1830N         |
| 18 x 36 | DM1836Z             | DM1836N         |
| 18 x 48 | DM1848Z             | DM1848N         |
| 18 x 60 | DM1860Z             | DM1860N         |
| 24 x 24 | DM2424Z             | DM2424N         |
| 24 x 30 | DM2430Z             | DM2430N         |
| 24 x 36 | DM2436Z             | DM2436N         |
| 24 x 48 | DM2448Z             | DM2448N         |
| 24 x 60 | DM2460Z             | DM2460N         |

## Platforms

Keep produce and merchandise off of floor and clearly visible. Ideal for stock room or walk-in refrigerator. 14"H platform consists of four posts, one shelf, plastic shelf clips and adjustable floor levelers.

| W" x L" | <i>POLYFLBRITE*</i> | <i>CHROME</i> | <i>NEXELON*</i> |
|---------|---------------------|---------------|-----------------|
|         | Model No.           | Model No.     | Model No.       |
| 18 x 24 | P1824Z              | P1824C        | P1824N          |
| 18 x 30 | P1830Z              | P1830C        | P1830N          |
| 18 x 36 | P1836Z              | P1836C        | P1836N          |
| 21 x 24 | P2124Z              | P2124C        | P2124N          |
| 21 x 30 | P2130Z              | P2130C        | P2130N          |
| 21 x 36 | P2136Z              | P2136C        | P2136N          |
| 24 x 24 | P2424Z              | P2424C        | P2424N          |
| 24 x 30 | P2430Z              | P2430C        | P2430N          |
| 24 x 36 | P2436Z              | P2436C        | P2436N          |



\*Protected by NEX Gard



# CANTILEVER SHELVING SYSTEM



**Cantilever Shelving System** consists of a pair of upright frames, including the base shelf assembly, **NEXELON** wire shelves and bracket arms in straight or incline type. Can be used in coolers, freezers as well as dry storage areas. Upright frames 12 gauge, 3<sup>1</sup>/<sub>8</sub>" x 1<sup>1</sup>/<sub>4</sub>" tubular steel, 72" high. Bottom shelf is 27" deep, 8<sup>1</sup>/<sub>2</sub>" high. **NEXELON** wire shelves have a 600 lb. capacity. Bracket arms have an 800 lb. capacity. 3000 lb. total capacity. Finished in metallic blue powder epoxy. 10 year warranty against rust and corrosion. **NEXELON** finish is protected by NEX<sup>o</sup>Gard, an antimicrobial agent that protects the epoxy coating from bacteria, mold and mildew that cause stains, odors and degradation.

## Cantilever Shelving

**Cantilevered Shelves** offer easy access to contents. Shelf height quickly adjusts on 6" increments to meet a variety of your storage needs. Wire shelves are reinforced for extra strength with front-to-back welded top surface ribs.

| W" x L" | FOUR SHELF UNIT | FIVE SHELF UNIT |
|---------|-----------------|-----------------|
|         | Model No.       | Model No.       |
| 24 x 36 | 2436CS4         | 2436CS5         |
| 24 x 48 | 2448CS4         | 2448CS5         |
| 24 x 60 | 2460CS4         | 2460CS5         |
| 24 x 72 | 2472CS4         | 2472CS5         |



## Cantilever Rack

Offers the full access benefit of **Cantilever Rack** plus the ability to store smaller items. 72"H Frame section can be adjusted to widths of 36", 48", 60" or 72" and includes 27" deep bottom shelf for storing smaller items. Straight Arms are ideal for flat items. Store bars, tubes or pipes on 20° Incline Arms. Order one frame assembly and the quantity of straight and/or incline arms desired. 8 arms per upright maximum.

|              | Size        | Model No. |
|--------------|-------------|-----------|
| Frame        | 72"H x 24"D | CRF2472   |
| Straight Arm | 24"L        | CRSA24    |
| Incline Arm  | 24"L        | CRIA24    |

## Slant Shelf

Nexel Slant Shelf Merchandisers and Displays allow maximum visibility and accessibility. Product restocking is fast and easy. Rear load/front pick assures first in, first out product rotation. Angled shelves allow gravity feed. 400 lb. Capacity shelves adjust on one-inch increments. 5" Polyurethane casters offer mobility. Optional Dividers keep products from falling off shelf and provide lanes for products. Chrome finish.

### SLANT SHELVES


| Size"   | Model No. |
|---------|-----------|
| 18 x 36 | SS1836C   |
| 18 x 48 | SS1848C   |
| 24 x 36 | SS2436C   |
| 24 x 48 | SS2448C   |

### DIVIDERS

| Size" | Model No. |
|-------|-----------|
| 18    | SS18      |
| 24    | SS24      |

### POST

| Size" | Model No. |
|-------|-----------|
| 54    | P54C      |
| 63    | P63C      |
| 74    | P74C      |



| W" | A  | B    | C     | D    | E     |
|----|----|------|-------|------|-------|
| 18 | 17 | 4.25 | 9.00  | 12.5 | 16.66 |
| 24 | 24 | 5.50 | 13.00 | 17.5 | 22.66 |



SHOWN WITH OPTIONAL DIVIDERS

### MERCHANDISERS - CONSIST OF 4 SLANT SHELVES, 4 POSTS, 1 STANDARD SHELF AND 1 THREE SIDED FRAME

#### 54" HIGH

| Size"   | Model No. |
|---------|-----------|
| 18 x 36 | 18365SSC  |
| 18 x 48 | 18485SSC  |
| 24 x 36 | 24365SSC  |
| 24 x 48 | 24485SSC  |

#### 63" HIGH

| Size"   | Model No. |
|---------|-----------|
| 18 x 36 | 18366SSC  |
| 18 x 48 | 18486SSC  |
| 24 x 36 | 24366SSC  |
| 24 x 48 | 24486SSC  |

### CASTERS

| Type                            | Model No. |
|---------------------------------|-----------|
| 5" Polyurethane<br>2 with brake | CA5SB     |
| 5" Rubber<br>2 with brake       | CA5BR     |



SHOWN WITH OPTIONAL CASTERS AND DIVIDERS

## Pyramid Merchandiser

Four Tier Pyramid Merchandiser is an attractive way to display your company's products. Unit consists of four chrome shelf sizes, one of each: 14" x 30", 18" x 36", 24" x 42", 30" x 48", (12) 14" Posts and (4) 6" Posts. Black Nylon Twin Casters, 2 swivel, 2 with brake makes the unit mobile. Chrome Finish.

|           |       |
|-----------|-------|
| Model No. | PM14C |
|-----------|-------|






# MERCHANDISERS & DISPLAY



## Nexel Cradle Wine Shelving

**Nexel Cradle Wine Shelving** is an attractive and safe way to display and store wine bottles. Each bottle is securely cradled by heavy gauge wire to prevent movement. Adjustable shelves allow storage of many different sizes of bottles. Our open wire construction permits air to circulate around bottles. For added protection, place a 4-inch ledge along the rear of the shelf. Shelves accommodate 9 to 13 bottles, depending on shelf size. The use of Foot Plates is recommended for additional stability. Sold 4 per carton. Chrome finish.



### CRADLE WINE SHELVES

| W" x L" | Bottle Capacity | Model No. |
|---------|-----------------|-----------|
| 14 x 36 | 9               | WS1436C   |
| 14 x 48 | 13              | WS1448C   |

### LEDGES

| Size" | Model No. |
|-------|-----------|
| 36    | AL436C    |
| 48    | AL448C    |

### FOOT PLATE

| Model No. |
|-----------|
| AF        |



## Wine Security Units

**For Security Purposes** and to reduce losses from theft, optional security units, which can be padlocked, are available. Security unit consists of side and back panels, door set, 66" posts, top and bottom shelves. **Order wine shelves separately.** Chrome finish.



| W" x L" | Model No. |
|---------|-----------|
| 14 x 36 | SU1436C   |
| 14 x 48 | SU1448C   |

### E-Z ADJUST SHELVES-CHROME

| W" x L" | Model No. |
|---------|-----------|
| 14 x 36 | S1436AC   |
| 14 x 48 | S1448AC   |



# SPACE WALL SYSTEM – WIRE GRID



**Space-Wall** is a system of wire grids that can be mounted directly on the wall. With the installation of Space-Wall you have now created a totally modular and flexible system that can be customized to meet your exact requirements today and changing needs in the future.

## Grid Panels

All Grids are 3" x 3" openings 1/4" steel wire. Grey epoxy finish. Grid Panel comes with wall mounting brackets.

| Size"   | Model No. | Size"   | Model No. |
|---------|-----------|---------|-----------|
| 18 x 36 | WG1836G   | 36 x 48 | WG3648G   |
| 18 x 48 | WG1848G   | 36 x 60 | WG3660G   |
| ---     | ---       | 36 x 72 | WG3672G*  |
| 24 x 48 | WG2448G   | 48 x 48 | WG4848G   |
| 24 x 60 | WG2460G   | 48 x 60 | WG4860G   |
| 24 x 72 | WG2472G   | 48 x 72 | WG4872G*  |

\*Ships in two pieces

ALL ACCESSORIES ARE CHROME FINISHED UNLESS STATED OTHERWISE.



WOOD SHELF WHITE MELAMINE LAMINATED

| Size"   | Model No. |
|---------|-----------|
| 12 x 36 | AWS1236   |
| 12 x 48 | AWS1248   |



HOOK ARM - 16" L.

| Model No. | AH5 |
|-----------|-----|
|-----------|-----|



WIRE SHELF-GRAY EPOXY

| Size"   | Model No. |
|---------|-----------|
| 12 x 36 | DR312     |
| 12 x 48 | DR412     |



SHELF BRACKET - Holds 12" shelf.

| Model No. | ASB12 |
|-----------|-------|
|-----------|-------|




GRID SHELF - 16<sup>3</sup>/<sub>4</sub>" x 16<sup>3</sup>/<sub>4</sub>"

| Model No. | AGS16C |
|-----------|--------|
|-----------|--------|



PEG HOOK

| Size" | Model No. |
|-------|-----------|
| 4     | APH4      |
| 6     | APH6      |
| 8     | APH8      |
| 10    | APH10     |
| 12    | APH12     |



BIN - Includes 4 Hooks to Mount on Grid

| Size"       | Model No. |
|-------------|-----------|
| W x D x H   |           |
| 36 x 14 x 9 | WB3149    |
| 48 x 14 x 9 | WB4149    |



BASKET - 17<sup>3</sup>/<sub>8</sub> x 7<sup>1</sup>/<sub>2</sub> x 10


| Model No. | ASW177 |
|-----------|--------|
|-----------|--------|

DIVIDERS - 14"D x 9"H. Fits both Bins

| Model No. | WD149 |
|-----------|-------|
|-----------|-------|



## Accessories



SINGLE HOOK

DOUBLE HOOK

| Model No. | AWSH |
|-----------|------|
|-----------|------|

| Model No. | AWDH |
|-----------|------|
|-----------|------|

DIRECT TO WALL MOUNTING BRACKETS

Chrome finish.

| Model No. | WB2 |
|-----------|-----|
|-----------|-----|



HOOK RAIL BAR - 24" L with 7-5" L hooks.

| Model No. | ARB7 |
|-----------|------|
|-----------|------|



BIN RAIL - 3<sup>1</sup>/<sub>2</sub>" wide

| Size" | Model No. |
|-------|-----------|
| 23    | AWBR23    |
| 35    | AWBR35    |
| 47    | AWBR47    |

DOCUMENT HOLDER - 12<sup>3</sup>/<sub>8</sub> x 2<sup>1</sup>/<sub>2</sub> x 10<sup>3</sup>/<sub>8</sub>.

| Model No. | AH |
|-----------|----|
|-----------|----|







# WALL MOUNT SHELF SYSTEMS

## Shelf Brackets

Perfect for creating wall storage area where floor space isn't available. One pair of wall brackets is required per shelf. Use Double Shelf brackets in a continuous run. Chrome or silver epoxy finish. 4 collar plugs included.



SINGLE SHELF BRACKET



DOUBLE SHELF BRACKET


| WALL MOUNT SINGLE SHELF BRACKETS<br>(2 per carton)<br>Chrome Silver Epoxy |           |           |
|---|-----------|-----------|
| Size"   | Model No. | Model No. |
| 14  | AB14C     | AB14EP    |
| 18  | AB18C     | AB18EP    |
| 21  | AB21C     | AB21EP    |
| 24  | AB24C     | AB24EP    |

| WALL MOUNT SINGLE SHELF BRACKETS<br>(1 per carton)<br>Chrome Silver Epoxy |           |           |
|---|-----------|-----------|
| Size"   | Model No. | Model No. |
| 14  | DAB14C    | DAB14EP   |
| 18  | DAB18C    | DAB18EP   |
| 21  | DAB21C    | DAB21EP   |
| 24  | DAB24C    | DAB24EP   |

**NOTE:** USES STANDARD SHELVING. ORDER SHELVES SEPARATELY. SEE PAGE 5. MOUNTING SCREWS NOT INCLUDED.

## Adjustable Shelf Brackets

Adjustable Shelf Brackets allow you to adjust shelves on 1" increments. Shelves mount to posts individually or in as many tiers as needed. Choice of Single Shelf Bracket or Double Shelf Bracket. Use Double Shelf Bracket for assembling shelves in a continuous run. Double Shelf Bracket attaches to one post. Order one additional post kit for every 2 shelves. Post kit consists of 2 posts 4 wall brackets. Chrome finish.



1" SHELF ADJUSTMENT

POST KIT

DOUBLE SHELF BRACKET

SINGLE SHELF BRACKET

| POST KIT |           |
|----------|-----------|
| Size"    | Model No. |
| 14       | PW14      |
| 34       | PW34      |
| 54       | PW54      |
| 63       | PW63      |

| DOUBLE Shelf Brackets<br>(1 per carton) |           |
|---|-----------|
| Size"                                   | Model No. |
| 14                                      | DPS14C    |
| 18                                      | DPS18C    |
| 24                                      | DPS24C    |

| SINGLE Shelf Brackets<br>(2 per carton) |           |
|---|-----------|
| Size"                                   | Model No. |
| 14                                      | PS14C     |
| 18                                      | PS18C     |
| 24                                      | PS24C     |

**NOTE:** USES STANDARD SHELVING. ORDER SHELVES SEPARATELY. SEE PAGE 5. MOUNTING SCREWS NOT INCLUDED.

## Cantilever Shelves


Shelves have 1"H protective "Rail Style" edges to help prevent contents from falling off. Plastic shelf clips included. Chrome finish.



| W" x L" | Model No. |
|---------|-----------|
| 12 x 24 | CS1224C   |
| 12 x 30 | CS1230C   |
| 12 x 36 | CS1236C   |
| 12 x 42 | CS1242C   |
| 12 x 48 | CS1248C   |
| 12 x 60 | CS1260C   |

## Cantilever Shelf Wall Mount Kit

Includes 2 posts and 4 wall mount brackets. Adjustable on 1" increments. Chrome finish. Mounting screws not supplied.



CANTILEVER SHELF

BIN RAIL

WALL MOUNT UNIT

| Post Size" | Number of Tiers | Model No. |
|------------|-----------------|-----------|
| 14         | 1-2             | CW14C     |
| 34         | 2-3             | CW34C     |
| 54         | 3-5             | CW54C     |

**NOTE:** Order cantilever shelves separately.

## Bin Rail

Mounts in conjunction with 60" wide shelves or can be used independently with a wall mount kit. Adjusts on 1" increments. Use multiple rails for large storage needs. Order bins separately, see page 49.

| Model No. | BR60 |
|-----------|------|
|-----------|------|

# WIRE CONTAINERS



## Folding Wire Container

- Sets up in seconds, folds flat to save space and shipping costs
- Drop gate for easy access when stacked

Open mesh construction provides excellent visibility of contents, easy inventory control and eliminates dust and dirt build up. One piece heavy duty folding container features wire mesh arc welded to channel formed steel base. Sides and corners are heavily reinforced. Stacking legs permit handling by forklift or pallet truck; legs are notched to interlock for positive stacking. Add Hinged Lid and padlock for security. Make container mobile with caster kit.



STACKS 4 HIGH

SHOWN WITH OPTIONAL CASTER KIT AND OPTIONAL LID



FOLDS FOR COMPACT STORAGE

| Drop Gate  |             |            |     |
|--|-------------|------------|-----|
| L" x W" x H"   | Inside Ht." | Gate Side" | Wt. |
| <b>4000 LB. CAP. - 2"x2" - 2 gauge Wire Mesh.</b>  |             |            |     |
| 40 x 32 x 34 <sup>1</sup> / <sub>2</sub>   | 28          | 40         | 146 |
| 48 x 40 x 36 <sup>1</sup> / <sub>2</sub>   | 30          | 48         | 194 |
| 48 x 40 x 42 <sup>1</sup> / <sub>2</sub>   | 36          | 48         | 216 |
| <b>2000 LB. CAP. - Sides 2" x 4" - 4 gauge, bottom 2" x 2" Wire Mesh. 2 gauge Wire Mesh.</b> |             |            |     |
| 40 x 32 x 34 <sup>1</sup> / <sub>2</sub>   | 28          | 40         | 112 |
| 48 x 40 x 36 <sup>1</sup> / <sub>2</sub>   | 30          | 48         | 114 |
| 48 x 40 x 42 <sup>1</sup> / <sub>2</sub>   | 36          | 48         | 160 |
| <b>1000 LB. CAP. - Sides 1" x 1" - 11 gauge Wire Mesh.</b>                                   |             |            |     |
| 32 x 20 x 21   | 16          | 32         | 43  |

| L" x W"           | Model No. |
|-------------------|-----------|
| <b>HINGED LID</b> |           |
| 32 x 20           | FWCL20    |
| 40 x 32           | FWCL32    |
| 48 x 40           | FWCL40    |

|  |       |
|--|-------|
| <b>CASTERS - 4 Swivel, 2 Braking 5" x 1<sup>1</sup>/<sub>2</sub>" Mold On Rubber 1400 Lb. Cap.</b> |       |
| Model No.  | FWCA5 |

## Enclosure Panels

- Keep contents securely on shelves and creates an enclosed storage environment
- Modular design allows it to adapt to any application
- Panels attach easily to shelving units without hardware
- Includes joining clips to secure panels to each other
- Chrome finish.

### Enclosure Panels Chrome

| Model No | width"/height" | post height" |
|----------|----------------|--------------|
| EP1254C  | 12 x 50        | 54           |
| EP1263C  | 12 x 60        | 63           |
| EP1274C  | 12 x 70        | 74           |
| EP1854C  | 18 x 50        | 54           |
| EP1863C  | 18 x 60        | 63           |
| EP1874C  | 18 x 70        | 74           |



JOINING CLIPS

### How to Order Enclosure Panels:

Ends- Panels required for each end according to width.

| Post Height" | 18" shelf   | 21" shelf   | 24" Shelf   | 30" Shelf   | 36" Shelf                  |
|--------------|-------------|-------------|-------------|-------------|----------------------------|
| 54           | (1) EP1254C | (1) EP1254C | (1) EP1854C | (2) EP1254C | (1) EP1254C<br>(1) EP1854C |
| 63           | (1) EP1263C | (1) EP1263C | (1) EP1863C | (2) EP1263C | (1) EP1263C<br>(1) EP1863C |
| 74           | (1) EP1274C | (1) EP1274C | (1) EP1874C | (2) EP1274C | (1) EP1274C<br>(1) EP1874C |

Backs- Panels required for Back according to Shelf Length

| Post Height" | 30" shelf   | 36" shelf                  | 42" shelf   | 48" shelf                  | 54" shelf                  | 60" shelf   | 72" shelf                  |
|--------------|-------------|----------------------------|-------------|----------------------------|----------------------------|-------------|----------------------------|
| 54           | (2) EP1254C | (1) EP1254C<br>(1) EP1854C | (2) EP1854C | (2) EP1254C<br>(1) EP1854C | (1) EP1254C<br>(2) EP1854C | (3) EP1854C | (1) EP1254C<br>(3) EP1854C |
| 63           | (2) EP1263C | (1) EP1263C<br>(1) EP1863C | (2) EP1863C | (2) EP1263C<br>(1) EP1863C | (1) EP1263C<br>(2) EP1863C | (3) EP1863C | (1) EP1263C<br>(3) EP1863C |
| 74           | (2) EP1274C | (1) EP1274C<br>(1) EP1874C | (2) EP1874C | (2) EP1274C<br>(1) EP1874C | (1) EP1274C<br>(2) EP1874C | (3) EP1874C | (1) EP1274C<br>(3) EP1874C |



ENCLOSURE PANEL UNIT



# WIRE BIN DUMP SHELVING



SHOWN WITH OPTIONAL DIVIDERS

**An easy access modular storage system that is both time and space efficient.** Full view open design provides inventory control at a glance. Position side-by-side or back-to-back, stack 2 or 3 high for bench top use, stack up to 7 high for free-standing rack or use 14" and 20" deep lower bin with dolly for easy transport. Each bin has a 100 lb. capacity and can be separated into sub-compartments with dividers (sold separately). Industrial strength .283 dia. frame wire with .105 dia. cross wire construction ensures strength and rigidity, chrome finish. Assembles easily.



SHOWN WITH TWO OPTIONAL DIVIDERS

| W" x D" x H" | WIRE BINS<br>Model No.   | DIVIDERS<br>Model No.  |
|--------------|--------------------------|------------------------|
| 36 x 14 x 9  | <a href="#">WB3149</a>   | <a href="#">WD149</a>  |
| 48 x 14 x 9  | <a href="#">WB4149</a>   | <a href="#">WD149</a>  |
| 36 x 20 x 9  | <a href="#">WB3209</a>   | <a href="#">WD209</a>  |
| 48 x 20 x 9  | <a href="#">WB4209</a>   | <a href="#">WD209</a>  |
| 36 x 20 x 12 | <a href="#">WB32012*</a> | <a href="#">WD2012</a> |
| 48 x 20 x 12 | <a href="#">WB42012*</a> | <a href="#">WD2012</a> |

\* 12" H bins have 9" H backs.




SHOWN WITH OPTIONAL DIVIDERS AND DOLLY BASE

## Dolly Base

Requires one 20" deep bottom bin. Equipped with four, smooth rolling 5" polyurethane wheel swivel casters

| Size"   | Model No.              |
|---------|------------------------|
| 36 x 20 | <a href="#">WBD320</a> |
| 48 x 20 | <a href="#">WBD420</a> |



# PICK RACKS & TRUCKS




High visibility and quick retrieval make parts picking and inventory control easy. Three bins have a 100 lb. capacity each and can be angled up, down, flat or any combination depending on requirements. 600 lb. capacity wire shelf Stationary unit has a total capacity of 2400 lbs. Mobile unit has an 800 lb. capacity, four 5" poly wheel swivel stem casters (2 locking) with donut bumpers. **For additional Bins and Bin Dividers see page 20.** Each additional Bin requires one set of 4 wire bin Collar Hooks. Chrome finish.

| Unit<br>W" x D" x H" | Bin<br>W" x D" x H" | Wire Bin<br>Pick Rack<br>Model No. | Wire Bin<br>Pick Truck<br>Model No. |
|----------------------|---------------------|------------------------------------|-------------------------------------|
| 36 x 18 x 63         | 36 x 14 x 9         | <a href="#">WBR1836C</a>           | <a href="#">WBT1836C</a>            |
| 36 x 24 x 63         | 36 x 20 x 9         | <a href="#">WBR2436C</a>           | <a href="#">WBT2436C</a>            |
| 48 x 18 x 63         | 48 x 14 x 9         | <a href="#">WBR1848C</a>           | <a href="#">WBT1848C</a>            |
| 48 x 24 x 63         | 48 x 20 x 9         | <a href="#">WBR2448C</a>           | <a href="#">WBT2448C</a>            |

## Bins Adjust in 1" Height and Angle 3 Ways to Assemble:



**Angled Down:**  
Flows parts to front.  
Provides maximum  
accessibility.



**Flat:**  
Provides maximum  
space efficiency.



**Angled Up:**  
Provides maximum  
bin capacity.



STATIONARY UNIT SHOWN  
WITH OPTIONAL BIN DIVIDERS



**WIRE COLLAR HOOK SET**

4 per set Model No. [SSB1C](#)



**PUSH HANDLE**

Chrome finished. Adjusts easily on 1" increments.

| Size" | Model No.             |
|-------|-----------------------|
| 18    | <a href="#">AE18C</a> |
| 24    | <a href="#">AE24C</a> |



**DOCUMENT HOLDER**

| Model No.   |
|---|
| <a href="#">12<sup>3</sup>/<sub>8</sub>" x 2" x 8<sup>5</sup>/<sub>8</sub>"H</a> <a href="#">AH</a> |



**UTILITY BASKET**

| Model No.  |
|--|
| <a href="#">17<sup>3</sup>/<sub>8</sub>" x 7<sup>1</sup>/<sub>2</sub>" x 10"H</a> <a href="#">ASW177</a> |



MOBILE UNIT SHOWN WITH OPTIONAL  
BIN DIVIDERS AND PUSH HANDLE






# SPACE - TRAC

## High Density Mobile Storage System Maximize Your Storage with Minimum Floor Space




Double your storage space capacity instantly with this economical mobile shelving system. Provides instant access to inventory and allows maximum air and light circulation. **Space-Trac** is designed to eliminate unnecessary aisles, free-up floor space and increase the number of shelving units that can be used in a designated area. This is done by combining stationary and mobile units, to create or eliminate aisles as needed. The stainless steel overhead track assures smooth shifting of units, eliminates dirt and debris build-up that usually occurs with floor mounted systems and compensates for uneven floors. Both stationary and mobile units are available with a variety of shelf sizes and finishes. Mobile units have 5" polyurethane wheel casters. Simple installation makes this system practical and easy to use.



GUIDE BLOCK  
(allows for uneven floors)

LOCKING COLLAR



TRACK TUBE

POST

## How To Order: Simple to Install, Simple to Use

When choosing component parts, the following factors must be determined.

- The length of Space-Trac necessary.**  
A-Combine the widths of necessary stationary and mobile units. Add minimum 30" for a single aisle and 2" for every mobile unit used to compensate for bumpers.
- The shelf length you want to work with** - all shelves must be same length. It is desirable that all shelves be the same width, but it is not required. For simplicity, if choosing different sizes, make stationary units one width and mobile units another.
- Height of Unit** - when choosing post height, all units must be same height.
- Choose finish of shelving and posts**, depending on your needs (see chart on page 4).

### 5 - When ordering component parts remember:

- A - Each Stationary Unit** requires 1 stationary unit kit, 4 posts and shelves (you determine number).  
**WIRE SHELVES** - order from page 5  
**SOLID SHELVES** - order from page 10
- B - Each Mobile Unit** requires 1 mobile unit kit and shelves (you determine number).
- C - Space-Trac Guide Bar** (custom sized to a max. length of 12 ft.) for longer systems, order one Joining Insert to connect each additional guide bar ordered.

**You must order a guide bar for the front and back length of the system.**

**Note: For double aisle and double deep systems check with Nexel for quote.**

## Sample Order

### What You Would Need To Order For Illustration Shown

- A - 2 - Stationary Units**  
Consist of: 8 #P86C Posts (4 per unit)  
8 #S2148C Shelves (4 per unit)  
2 #STS1 Stationary Unit Kits (1 per unit)
- B - 3 - Mobile Units**  
Consist of: 3 #STM861C Mobile Unit Kits (1 per unit)  
12 #S2148C Shelves (4 per unit)
- C - 24 Feet Space Trac Guide Bar**  
Consists of: 2 #ST1030 Guide Bars @12 ft. each, equals 24 ft. (Sold by the foot)


#### STATIONARY UNIT KIT Model No. STS1

Consists of the following parts:  
4 Guide Blocks  
4 Locking Collars  
4 Foot Plates

#### MOBILE UNIT KIT - order shelves separately to match the width of mobile units.

Consists of the following parts:  
4 Guide Blocks  
4 Posts  
4 Casters  
2 Tie Bars

| Width" | Overall Height" | POLYFLBRITE | CHROME  | NEXELON |
|--------|-----------------|-------------|---------|---------|
| 18     | 76              | STM748Z     | STM748C | STM748N |
| 18     | 88              | STM868Z     | STM868C | STM868N |
| 21     | 76              | STM741Z     | STM741C | STM741N |
| 21     | 88              | STM861Z     | STM861C | STM861N |
| 24     | 76              | STM744Z     | STM744C | STM744N |
| 24     | 88              | STM864Z     | STM864C | STM864N |



| Overall Height" | POLYFLBRITE Model No. | CHROME Model No. | NEXELON Model No. |
|-----------------|-----------------------|------------------|-------------------|
| 76              | P74Z                  | P74C             | P74N              |
| 88              | P86Z                  | P86C             | P86N              |


**WIRE SHELVES** - order from page 3

**SOLID SHELVES** - order from page 12


**SPACE-TRAC GUIDE BAR** - specify required length and order required joining inserts - see example of 16 ft. run.

Model No. ST1030

**SPACE-TRAC GUIDE BAR END CAP** -Model No. ST1060



## Reel Storage Rack



This sturdy steel reel rack has 6 levels that adjust on 1 1/2" centers and can hold up to 3 axles each. This model includes three 1/2" diameter axles and three 3/4" diameter axles for larger reels. Additional axles sold separately. Can be customized to hold a total of 18 axles. Boltless construction provides easy assembly and tool free level adjustment. Secure to wall or floor for maximum stability. Chip resistant baked enamel finish.

| W" x L" x H" | Model No. |
|--------------|-----------|
| 24 x 36 x 84 | RDR24368  |
| 24 x 48 x 84 | RDR24488  |

### ADDITIONAL AXLE BRACKETS

| Diameter" | Width" | Model No. |
|-----------|--------|-----------|
| 1/2       | 36     | ARDR12    |
| 1/2       | 48     | ARDR124   |
| 3/4       | 36     | ARDR34    |
| 3/4       | 48     | ARDR344   |

## Carton Stand



Choose from single or two level to meet your needs. Organize corrugated boxes for easy access. 18" x 48" shelves with three 25"H adjustable dividers per shelf and screw type leveling feet for uneven surfaces. Chrome finish.



SINGLE LEVEL SHOWN WITH OPTIONAL CASTERS

### CARTON STAND

| Description             | Model No. |
|-------------------------|-----------|
| 38 1/2"H Single Level   | CS38      |
| 78 1/2"H Two Level Unit | CS78      |

| Options                     | Model No. |
|-----------------------------|-----------|
| 4" Rubber Swivel Caster Kit | CA4S4     |
| Push Handle (18" Wide)      | AE18C     |
| Carton Dividers (Set of 3)  | CSD3      |

## Garment Storage



THREE SHELF FLOOR UNIT SHOWN WITH OPTIONAL CASTER KIT



WALL UNIT

The attractive solution to garment storage. Open wire design minimizes dust accumulation, maximizes ventilation. Shelf adjusts on 1" increments. All models are 24" deep and includes hangers. Wall Rack easily attaches to wall. Two Shelf Model is 63"H. Three Shelf Model is 74"H. Optional Caster Kit adds additional 6" to height. Chrome Finish.

| Width | No. of Hangers | Wall Unit Model No. | Two Shelf Model No. | Three Shelf Model No. |
|-------|----------------|---------------------|---------------------|-----------------------|
| 36"   | 12             | GW36C               | G2S36C              | G3S36C                |
| 48"   | 18             | GW48C               | G2S48C              | G3S48C                |
| 60"   | 24             | GW60C               | G2S60C              | G3S60C                |

| Options                       | Model No. |
|-------------------------------|-----------|
| 5" Swivel Caster Kit          | CA5S4     |
| Package of six chrome hangers | MPH6      |
| 17" long                      |           |



Coat Rack Rod Kit attaches easily under Nexel shelves to display hanging garments. Chrome finish.

| Width" | Model No. |
|--------|-----------|
| 36     | CRR36     |
| 48     | CRR48     |
| 60     | CRR60     |



# RIVET LOCK BOLTLESS SHELVING



## Rivet Lock

Roll formed steel frame shelves provide rigidity and strength. Shelves adjust on 1 1/2" increments for added options. Easy assembly, no tools required. Unit shown with optional label holders. Extra heavy duty models have double rivet beam on all levels. Available in two baked enamel finishes Gray or Tan. **Add suffix (T) to the model number for Tan finish.**



**EXTRA HEAVY DUTY WITH WOOD DECK**



**EXTRA HEAVY DUTY WITH LAMINATE DECK**

**WHITE MELAMINE LAMINATE DECK-** 1/2" thick particleboard

| W" x D"                        | Shelf Cap. Lbs. | 5'H - 4 Shelf Model No. | 7'H - 5 Shelf Model No. | Add'l Shelves Model No. |
|--------------------------------|-----------------|-------------------------|-------------------------|-------------------------|
| <b>EXTRA HEAVY DUTY MODELS</b> |                 |                         |                         |                         |
| 36 x 12                        | 1500            | RLX325L                 | RLX327L                 | RLX312L                 |
| 36 x 18                        | 1500            | RLX385L                 | RLX387L                 | RLX318L                 |
| 36 x 24                        | 1500            | RLX345L                 | RLX347L                 | RLX324L                 |
| 48 x 12                        | 1500            | RLX425L                 | RLX427L                 | RLX412L                 |
| 48 x 18                        | 1500            | RLX485L                 | RLX487L                 | RLX418L                 |
| 48 x 24                        | 1200            | RLX445L                 | RLX447L                 | RLX424L                 |

**WOOD DECK -** 5/8" thick particleboard

| W" x D"                        | Shelf Cap. Lbs. | 5'H - 4 Shelf Model No. | 7'H - 5 Shelf Model No. | 8'H-5 Shelf Model No. | Add'l Shelves Model No. |
|--------------------------------|-----------------|-------------------------|-------------------------|-----------------------|-------------------------|
| <b>EXTRA HEAVY DUTY MODELS</b> |                 |                         |                         |                       |                         |
| 36 x 12                        | 1500            | RLX325                  | RLX327                  | RLX328                | RLX312                  |
| 36 x 18                        | 1500            | RLX385                  | RLX387                  | RLX388                | RLX318                  |
| 36 x 24                        | 1500            | RLX345                  | RLX347                  | RLX348                | RLX324                  |
| 48 x 12                        | 1500            | RLX425                  | RLX427                  | RLX428                | RLX412                  |
| 48 x 18                        | 1500            | RLX485                  | RLX487                  | RLX488                | RLX418                  |
| 48 x 24                        | 1200            | RLX445                  | RLX447                  | RLX448                | RLX424                  |

**WIRE DECK -** Gray epoxy with 3" square mesh openings


| W" x D"                        | Shelf Cap. Lbs. | 5'H - 4 Shelf Model No. | 7'H - 5 Shelf Model No. | 8'H-5 Shelf Model No. | Add'l Shelves Model No. |
|--------------------------------|-----------------|-------------------------|-------------------------|-----------------------|-------------------------|
| <b>EXTRA HEAVY DUTY MODELS</b> |                 |                         |                         |                       |                         |
| 36 x 12                        | 1500            | RLX325W                 | RLX327W                 | RLX328W               | RLX312W                 |
| 36 x 18                        | 1500            | RLX385W                 | RLX387W                 | RLX388W               | RLX318W                 |
| 36 x 24                        | 1500            | RLX345W                 | RLX347W                 | RLX348W               | RLX324W                 |
| 48 x 12                        | 1500            | RLX425W                 | RLX427W                 | RLX428W               | RLX412W                 |
| 48 x 18                        | 1500            | RLX485W                 | RLX487W                 | RLX488W               | RLX418W                 |
| 48 x 24                        | 1200            | RLX445W                 | RLX447W                 | RLX448W               | RLX424W                 |



**EXTRA HEAVY DUTY WITH WIRE DECK**



# WIDE SPAN & RIVET-LOCK SYSTEM COMPONENTS



**A. UPRIGHTS** - Punched on 1 1/2" centers for easy beam adjustment. 14 gauge Available in two baked enamel finishes Gray or Tan. **T-Posts** used to add on adjacent units. **Add suffix (T) to the model number for Tan finish.**

**ANGLE POST**  
2 1/4" x 1 1/2"

| Size" | Model No. |
|-------|-----------|
| 36    | WR-U364P  |
| 60    | WR-U604P  |
| 72    | WR-U724P  |
| 84    | WR-U844P  |
| 96    | WR-U964P  |
| 120   | WR-U120   |

**T- POST**  
3 3/4" x 1 1/4"

| Size" | Model No. |
|-------|-----------|
| 60    | WR-T60    |
| 84    | WR-T84    |
| 96    | WR-T96    |

Angle Posts sold in quantities of 4

**B. BEAMS** - Four beams are required per level. Channel beam - Model No. WR-B96H, has a 30% greater capacity than the standard angle beam. Available in two baked enamel finishes Gray or Tan. **Add suffix (T) to the model number for Tan finish.**

| Size" | DOUBLE RIVET Model No.    |
|-------|---------------------------|
| 12    | WR-B12                    |
| 15    | WR-B15                    |
| 18    | WR-B18                    |
| 24    | WR-B24                    |
| 30    | WR-B30                    |
| 36    | WR-B36                    |
| 42    | WR-B42                    |
| 48    | WR-B48                    |
| 60    | WR-B60                    |
| 72    | WR-B72                    |
| 96    | WR-B96                    |
| 96    | (angle) WR-B96H (channel) |

**C. DECK SUPPORTS** - Increase shelf capacity by 20% and allows for unexpected heavy loads. Deck supports are only to be ordered as part of the components grouping. They are not intended to be added to complete units to increase the load capacity. Complete units have these supports included. Available in two baked enamel finishes Gray or Tan. **Add suffix (T) to the model number for Tan finish.**

| Shelf W" | Accepts Per Level |
|----------|-------------------|
| 36       | 0                 |
| 42       | 1                 |
| 48       | 1                 |
| 60       | 1                 |
| 72       | 1                 |
| 96       | 3                 |

| Deck Supports Size" | Model No. |
|---------------------|-----------|
| 15                  | W-DS15    |
| 18                  | W-DS18    |
| 24                  | W-DS24    |
| 30                  | W-DS30    |
| 36                  | W-DS36    |
| 48                  | W-DS48    |

**D. WOOD, E. MELAMINE LAMINATE DECKING, F. WIRE DECKING** - Choose the type that suits your needs. Wood decking is constructed of durable 5/8" particleboard. White Melamine laminate on 1/2" particleboard. Wire decking features 3" square mesh openings.

| W" x D" | WOOD LAMINATE WIRE |           |           | W" x D" | WOOD LAMINATE WIRE |           |           |
|---------|--------------------|-----------|-----------|---------|--------------------|-----------|-----------|
|         | Model No.          | Model No. | Model No. |         | Model No.          | Model No. | Model No. |
| 36 x 12 | DW312              | DL312     | DR312     | 72 x 15 | DW615*             | —         | —         |
| 36 x 18 | DW318              | DL318     | DR318     | 72 x 24 | DW624*             | DL624*    | DR624*    |
| 36 x 24 | DW324              | DL324     | DR324     | 72 x 30 | DW630*             | —         | —         |
| 42 x 15 | DW415              | —         | —         | 72 x 36 | DW636*             | DL636*    | DR636*    |
| 42 x 30 | DW430              | —         | —         | 72 x 48 | DW648*             | DL648*    | DR648*    |
| 48 x 12 | DW412              | DL412     | DR412     | 96 x 24 | DW824*             | DL824*    | DR824*    |
| 48 x 18 | DW418              | DL418     | DR418     | 96 x 36 | DW836*             | DL836*    | DR836*    |
| 48 x 24 | DW424              | DL424     | DR424     | 96 x 48 | DW848*             | DL848*    | DR848*    |
| 48 x 36 | DW436              | DL436*    | DR436     |         |                    |           |           |
| 48 x 48 | DW448              | DL448*    | DR448     |         |                    |           |           |
| 60 x 18 | DW518*             | —         | —         |         |                    |           |           |
| 60 x 24 | DW524*             | DL524*    | DR524*    |         |                    |           |           |
| 60 x 36 | DW536*             | DL536*    | DR536*    |         |                    |           |           |
| 60 x 48 | DW548*             | DL548*    | DR548*    |         |                    |           |           |

\*Ships in two pieces

**G. WALL BRACKET** - 12"L connects to wall for additional stability.

| Color | Model No. |
|-------|-----------|
| Gray  | W-WB12    |
| Tan   | W-WB12T   |

**H. TIE PLATE** - Connects two shelving units side or back to back.

| Color | Model No. |
|-------|-----------|
| Gray  | WTP1      |
| Tan   | WTP1T     |

**I. RUBBER Mallet**

| Model No. | ARM |
|-----------|-----|
|           |     |

**J. DOLLY BASE** - 14 gauge welded frame. 1200 lb. capacity. Gray enamel finish. Choice of casters 2 rigid and 2 swivel.

| W" x D" | CASTERS              |                                    |                          |                                 |
|---------|----------------------|------------------------------------|--------------------------|---------------------------------|
|         | Dolly Only Model No. | 5" x 1 1/4" Polyurethane Model No. | 8" x 2" Rubber Model No. | 8" x 2 1/2" Pneumatic Model No. |
| 36 x 18 | WDB3618              | WDB3618P                           | WDB3618R                 | WDB3618N                        |
| 36 x 24 | WDB3624              | WDB3624P                           | WDB3624R                 | WDB3624N                        |
| 48 x 24 | WDB4824              | WDB4824P                           | WDB4824R                 | WDB4824N                        |
| 60 x 24 | WDB6024              | WDB6024P                           | WDB6024R                 | WDB6024N                        |

**K. LABEL HOLDER** - Reusable, clear plastic strips have paper inserts that allow you to relabel quickly and easily. Self-Adhesive style sticks to any clean surface, while Magnetic strips work with steel surfaces only. Packaged 12 to a box.

| W" x H"              | Model No. |
|----------------------|-----------|
| <b>SELF ADHESIVE</b> |           |
| 6 x 3/4              | LH6750A   |
| 6 x 2 1/2            | LH6250A   |
| <b>MAGNETIC</b>      |           |
| 6 x 3/4              | LH6750M   |
| 6 x 2                | LH6200M   |

# W-I-D-E SPAN STORAGE RACKS



## Wire Deck Bulk Rack

Ideal for use where the benefits of open construction are essential. Allows air to circulate freely through 3" square mesh openings. Self cleaning for easy maintenance. For added safety, ensures that sprinkler water can get through rack, helping to reduce Fire Insurance premiums. Provides maximum visibility of contents for quick and easy inventory control. Wire deck finished in gray epoxy. **Add suffix (T) to the model number for Tan finish.**



THREE SHELF UNIT- GRAY OR TAN FINISH

| W" x D"  | Shelf Deck Supports |           | Deck Supports |         |         | Add'l Shelves |
|----------|---------------------|-----------|---------------|---------|---------|---------------|
|          | Cap. Lbs.           | Per Level | 60"H          | 84"H    | 96"H    |               |
| 48 x 24  | 1200                | 0         | WR4245        | WR4247  | WR4248  | WRS424        |
| 48 x 36  | 1200                | 0         | WR4365        | WR4367  | WR4368  | WRS436        |
| 48 x 48  | 1200                | 0         | WR4485        | WR4487  | WR4488  | WRS448        |
| 60 x 24  | 1200                | 1         | WR5245        | WR5247  | WR5248  | WRS524        |
| 60 x 36  | 1200                | 1         | WR5365        | WR5367  | WR5368  | WRS536        |
| 60 x 48  | 1200                | 1         | WR5485        | WR5487  | WR5488  | WRS548        |
| 72 x 24  | 900                 | 1         | WR6245        | WR6247  | WR6248  | WRS624        |
| 72 x 36  | 900                 | 1         | WR6365        | WR6367  | WR6368  | WRS636        |
| 72 x 48  | 900                 | 1         | WR6485        | WR6487  | WR6488  | WRS648        |
| 96 x 24  | 800                 | 3         | WR8245        | WR8247  | WR8248  | WRS824        |
| 96 x 24* | 1100                | 3         | WRH8245       | WRH8247 | WRH8248 | WRHS824       |
| 96 x 36  | 800                 | 3         | WR8365        | WR8367  | WR8368  | WRS836        |
| 96 x 36* | 1100                | 3         | WRH8365       | WRH8367 | WRH8368 | WRHS836       |
| 96 x 48  | 800                 | 3         | WR8485        | WR8487  | WR8488  | WRS848        |
| 96 x 48* | 1100                | 3         | WRH8485       | WRH8487 | WRH8488 | WRHS848       |

## Wood Deck Bulk Rack

High capacity 5/8" thick pre-cut, non-warping particleboard decking for dependable strength in a wide range of storage applications.




THREE SHELF UNIT- GRAY OR TAN FINISH

| W" x D"  | Shelf Deck Supports |           | Deck Supports |         |         | Add'l Shelves |
|----------|---------------------|-----------|---------------|---------|---------|---------------|
|          | Cap. Lbs.           | Per Level | 60"H          | 84"H    | 96"H    |               |
| 48 x 24  | 1200                | 0         | WD4245        | WD4247  | WD4248  | WDS424        |
| 48 x 36  | 1200                | 0         | WD4365        | WD4367  | WD4368  | WDS436        |
| 48 x 48  | 1200                | 0         | WD4485        | WD4487  | WD4488  | WDS448        |
| 60 x 24  | 1200                | 0         | WDL5245       | WDL5247 | WDL5248 | WDSL524       |
| 60 x 24  | 1400                | 1         | WD5245        | WD5247  | WD5248  | WDS524        |
| 60 x 36  | 1200                | 0         | WDL5365       | WDL5367 | WDL5368 | WDSL536       |
| 60 x 36  | 1400                | 1         | WD5365        | WD5367  | WD5368  | WDS536        |
| 60 x 48  | 1200                | 0         | WDL5485       | WDL5487 | WDL5488 | WDSL548       |
| 60 x 48  | 1400                | 1         | WD5485        | WD5487  | WD5488  | WDS548        |
| 72 x 15  | 750                 | 1         | WD6155        | WD6157  | WD6158  | WDS615        |
| 72 x 24  | 900                 | 0         | WD6245        | WD6247  | WD6248  | WDS624        |
| 72 x 30  | 900                 | 0         | WD6305        | WD6307  | WD6308  | WDS630        |
| 72 x 36  | 900                 | 0         | WD6365        | WD6367  | WD6368  | WDS636        |
| 72 x 48  | 900                 | 0         | WDL6485       | WDL6487 | WDL6488 | WDSL648       |
| 72 x 48  | 1000                | 1         | WD6485        | WD6487  | WD6488  | WDS648        |
| 96 x 24  | 800                 | 3         | WDL8245       | WDL8247 | WDL8248 | WDSL824       |
| 96 x 24* | 1100                | 3         | WD8245        | WD8247  | WD8248  | WDS824        |
| 96 x 36  | 800                 | 3         | WDL8365       | WDL8367 | WDL8368 | WDSL836       |
| 96 x 36* | 1100                | 3         | WD8365        | WD8367  | WD8368  | WDS836        |
| 96 x 48  | 800                 | 3         | WDL8485       | WDL8487 | WDL8488 | WDSL848       |
| 96 x 48* | 1100                | 3         | WD8485        | WD8487  | WD8488  | WDS848        |

\* INCLUDES 96" HEAVY DUTY CHANNEL BEAM

**Low Cost Wire and Wood Deck Bulk Storage Racks** are space-efficient to make maximum use of your storage area. Extra high, wide and deep racks accommodate a variety of sizes and shapes. For use in retail, commercial and industrial applications. Four side accessibility for convenient hand loading.

Easy set-up with snap-in pre-cut components. No nuts, bolts, clips or tools required. Sturdy roll-formed steel framing provides maximum support. Front-to-back supports help prevent beams from rotating when fully loaded. Unique double button stud construction locks perimeter beams into corner post forming a structurally secure joint, eliminates back and side sway. Chip resistant Gray or Tan baked enamel finish. Rugged 1 1/2" x 2 1/4" x 14 ga. steel uprights are punched on 1 1/2" centers. **Add suffix (T) to the model number for Tan finish.**



**A. 6 OUTLET POWER CENTER**  
Model No. **APC**

**B. BIN RAIL** Model No. **BR60**  
Use with 60" wide shelves or independently with wall mount kit. For large storage needs. Adjusts on 1" increments.

**C. REEL HOLDER** Model No. **AR60**  
Keeps spools on hand for immediate access. 60"W.



**WIRE KEYBOARD DRAWER SHELF** Model No. **AKD211**  
Accepts keyboards up to 21"W x 11"D. Has a 6" height adjustment. 25 1/4"W x 15"D x 4 1/4"H.



**LABEL HOLDER**

| Length" | Color |
|---------|-------|
| 3       | Black |
| 3       | Clear |
| 12      | Clear |
| 24      | Clear |

Model No.  
**ABM3**  
**ABM3C**  
**ABM12C**  
**ABM24C**



**LOCKING POST COLLAR**  
Model No. **APL**




**LARGE 1 1/2" SHELF COLLAR HOOK**  
Model No. **SSB2C**



**SMALL 1/2" SHELF COLLAR HOOK**  
Model No. **SSB1C**



**UTILITY BASKET** Model No. **ASW177**  
17 3/8" x 7 1/2" x 10"H.



**DOCUMENT HOLDER** Model No. **AH**  
12 3/8" x 2" x 8 5/8"H



**POST CLAMP** Width" Space" Model No.  
Securely joins 2 5/8 7/16 **AC**  
two sections 3 5/8 1 3/8 **ACX**  
together.



**SHELF COLLAR PLUG**  
Model No. **AL**  
Use on shelf collar.



**POST CAP**  
Model No. **AP**  
Use on top of post.



**RUBBER Mallet**  
Model No. **ARM**



**WALL MOUNTING BRACKET**  
Model No. **AW2C**  
Secures posts to wall - 2" clearance.



**ALUMINUM SHELF CLIP WITH RETAINER RING**  
Model No. **AMA**



**SHELF CLIP (4 PAIR)**  
Model No. **AM**



**S HOOK**  
Model No. **AS** - Use 2 for each add-on wire shelf. Sold 12 per package



**NON-MARRING FLOOR GLIDE**  
Model No. **AG**



**POST LEVELER BOLT & INSERT**  
Model No. **AX**



**3 1/2" DONUT BUMPER**  
Model No. **AB3**



**FOOT PLATE**  
Model No. **AF**

## Safety Push Handles

Make maneuvering simple. Safety push handle keeps hands within cart width preventing bumps with walls and objects. Chrome finish.



| Width" | Model No. |
|--------|-----------|
| 18     | AE18C     |
| 21     | AE21C     |
| 24     | AE24C     |


## Utility Cart Handles

Offset tubular handle constructed of 1" steel tubing, grooved on 1" increments for easy shelf adjustment. 33"H. Chrome finish.



| Width" | Model No. |
|--------|-----------|
| 18     | AH18C     |
| 21     | AH21C     |
| 24     | AH24C     |

## Tray Slide Inserts



Ideal for use on shelving, trucks and carts. Tray Slide Inserts save valuable space by allowing you to suspend trays and tote pans between shelves. Slides fit between any 18" or 24" deep wire shelves when spaced 22" apart. Slides adjust on 1/2" centers. Chrome finish.

**Single-Tray Slide Insert.** Attach a tray below wire 18" or 24" shelf with easy to install brackets to create a slide-out drawer.

| MULTI-TRAY |           |
|------------|-----------|
| Size"      | Model No. |
| 18         | AT18C     |
| 24         | AT24C     |

| MODU-BOX     |           |
|--------------|-----------|
| L" x W" x H" | Model No. |
| 16 x 11 x 5  | TB165     |
| 22 x 17 x 5  | TB225     |
| 22 x 17 x 6  | TB226     |
| 22 x 17 x 8  | TB228     |
| 24 x 11 x 8  | TB248     |

| Model No. |
|-----------|
| AST24C    |

## Ledges

Protect your valuable inventory. Ledges help keep items from falling off edge of shelf. Snaps onto perimeter of shelf creating 4"H retaining edge. If higher ledge is required, stack for 8", 12" etc. Chrome or EP finish.

| Size" | CHROME    | EP        |
|-------|-----------|-----------|
|       | Model No. | Model No. |
| 14    | AL414C    | AL414EP   |
| 18    | AL418C    | AL418EP   |
| 21    | AL421C    | AL421EP   |
| 24    | AL424C    | AL424EP   |
| 30    | AL430C    | AL430EP   |
| 36    | AL436C    | AL436EP   |
| 42    | AL442C    | AL442EP   |
| 48    | AL448C    | AL448EP   |
| 54    | AL454C    | AL454EP   |
| 60    | AL460C    | AL460EP   |
| 72    | AL472C    | AL472EP   |



## Rods & Clips

Enclose back and/or sides of shelving easily with rods and clips. Purchase rods and clips separately. Chrome finish.



| FRONT/BACK CLIP |  |
|-----------------|--|
| Model No.       |  |
| AT              |  |



| SIDE CLIP |  |
|-----------|--|
| Model No. |  |
| SRT       |  |

| Length" | Model No. |
|---------|-----------|
| 52      | AR54C     |
| 61      | AR63C     |
| 72      | AR74C     |
| 84      | AR86C     |



## Shelf Dividers

Installs easily without the use of bolts, nuts or clips. Attaches at any point along shelf. 8" high. Chrome or EP finish.



| Size" | CHROME    | EP        |
|-------|-----------|-----------|
|       | Model No. | Model No. |
| 14    | AD814C    | AD814EP   |
| 18    | AD818C    | AD818EP   |
| 21    | AD821C    | AD821EP   |
| 24    | AD824C    | AD824EP   |

## Hangar Rails

Hanging Rail can be mounted along the length or width of shelving unit. Hooks can be easily attached to Hangar Rails. Chrome finish.



| Size" | Model No. | Size" | Model No. |
|-------|-----------|-------|-----------|
| 18    | AHR18C    | 48    | AHR48C    |
| 24    | AHR24C    | 60    | AHR60C    |
| 36    | AHR36C    | 72    | AHR72C    |

## Cart Covers



COVERS ENTIRE CART/TRUCK



PANEL FOLDS BACK FOR EASY SHELF ACCESSIBILITY



10 GAGE CLEAR VINYL

Helps keep contents dust and dirt free. Made of water resistant, 400 denier nylon or 10 gage vinyl with reinforced corners and double stitching for maximum durability. Velcro or zipper closure. **Specify color suffix (RD) Red, (BL) Blue, (WH) White or (CL) Clear, when ordering. Special orders upon request. Cart covers are not returnable.**

| Cover L" x H" | Model For Use With |           |
|---------------|--------------------|-----------|
|               | 18"W Unit          | 24"W Unit |
| 36 x 63       | CO1836             | CO2436    |
| 48 x 63       | CO1846             | CO2446    |
| 60 x 63       | CO1856             | CO2456    |
| 72 x 63       | CO1866             | CO2466    |

| Cover L" x H" | Model For Use With |           |
|---------------|--------------------|-----------|
|               | 18"W Unit          | 24"W Unit |
| 36 x 74       | CO1837             | CO2437    |
| 48 x 74       | CO1847             | CO2447    |
| 60 x 74       | CO1857             | CO2457    |
| 72 x 74       | CO1867             | CO2467    |


## Shelf Mats



Keep items from falling through open shelving. Durable .035 plastic sheet that can be removed easily for cleaning.

| D" x W" | Model No. |
|---------|-----------|
| 18 x 36 | SM1836CL  |
| 18 x 48 | SM1848CL  |
| 18 x 60 | SM1860CL  |
| 18 x 72 | SM1872CL  |
| 24 x 36 | SM2436CL  |
| 24 x 48 | SM2448CL  |
| 24 x 60 | SM2460CL  |
| 24 x 72 | SM2472CL  |

## Upright Extension Kit



Extend the height of your shelving unit instantly. Upright Extension Kit allows you to increase your shelving unit up to a maximum of 140". Extended units must be securely anchored to wall with mounting brackets, kit converts two posts. Two post kit includes two threaded post inserts, two double threaded bolts and four wall mounting brackets. Mounting screws not included.

Model No.  
AX4C

# CASTERS & DOLLIES



Description: Black Nylon Twin Wheel, 1 3/4" x 2", 90 lb. capacity. 3/8"-16 Threaded Stem. Fits Standard Leveler Inserts.

## Stem Casters

| Type                         | Model No. |
|------------------------------|-----------|
| Swivel, 2 w/Brake (Set of 4) | CA2BN4    |

Description: Resilient Rubber Wheel, 1 1/4" x 5", 200 lb. capacity.

| Type                        | Model No. |
|-----------------------------|-----------|
| Swivel (Set of 4)           | CA5S4R    |
| Swivel w/Brake (Set of 4)   | CA5BR4    |
| Swivel 2 w/Brake (Set of 4) | CA5SBR    |

Description: Polyurethane Wheel, 1 1/4" x 5", 300 lb. capacity

| Type  | Model No. |
|---|-----------|
| Swivel (Set of 4)                             | CA5S4     |
| Swivel w/Brake (Set of 4)                     | CA5BP4    |
| Swivel, 2 w/Brake (Set of 4)                  | CA5SB     |
| Rigid (Set of 4)                              | CA5R4*    |
| Swivel, 2 w/Brake, 2 Rigid (Set of 4)         | CA5RSB*   |
| Stainless Steel, Swivel, 2 w/Brake (Set of 4) | CA5SBS    |

Description: Polymer Caster, 1 1/4" x 5", 300lb. capacity.

| Type              | Model No. |
|-------------------|-----------|
| Swivel, 2 w/Brake | CA5SBP    |

Description: Pneumatic Wheel, 2.5" x 8", 300 lb. capacity.

| Type                         | Model No. |
|------------------------------|-----------|
| 2 Swivel, 2 Rigid (Set of 4) | CA85RN*   |

**Note:** Load capacity ratings are per caster. All Stem casters include donut bumpers, (except CA2BN4.) \*Requires Tie Bar-See Below



DONUT BUMPER



BLACK NYLON



RUBBER SWIVEL



RUBBER SWIVEL WITH BRAKE



POLYURETHANE SWIVEL



POLYURETHANE SWIVEL WITH BRAKE



POLYURETHANE RIGID



POLYMER SWIVEL



POLYMER SWIVEL WITH BRAKE




PNEUMATIC SWIVEL

## Tie Bars

**Rigid Stem Casters** require the use of a tie bar to assure rigid caster alignment. The bar connects the casters across the narrow width dimension of the cart or truck. For every two casters ordered, one tie bar must be used. Finished in chrome. The bar size must match shelf width.

| Size" | Model No. |
|-------|-----------|
| 18    | ATB18     |
| 21    | ATB21     |
| 24    | ATB24     |



## Plate Casters

| Type           | Model No. | Wheel Size" | Plate Size**  | Wheel Tread    | Load Rating (lbs.) |
|----------------|-----------|-------------|---------------|----------------|--------------------|
| Swivel         | ACP5SP    | 5 x 1 1/4   | 4 1/2 x 3 3/4 | Polyurethane   | 250                |
| Swivel w/Brake | ACP5BP    | 5 x 1 1/4   | 4 1/2 x 3 3/4 | Polyurethane   | 250                |
| Rigid          | ACP5RP    | 5 x 1 1/4   | 4 1/2 x 3 3/4 | Polyurethane   | 250                |
| Swivel         | ACP6SR    | 6 x 2       | 4 1/2 x 3 3/4 | Mold-on-Rubber | 500                |
| Rigid          | ACP6RR    | 6 x 2       | 4 1/2 x 3 3/4 | Mold-on-Rubber | 500                |
| Swivel         | ACP8SR    | 8 x 2       | 4 x 4 1/2     | Pneumatic      | 300                |
| Rigid          | ACP8RR    | 8 x 2       | 4 x 4 1/2     | Pneumatic      | 300                |

**Note:** For overall height add approximately 1 1/2" to wheel size. Add 3" for 8" caster. \* 2 5/8" x 3 3/8" bolt spacing on mounting plates



POLYURETHANE SWIVEL



POLYURETHANE RIGID



POLYURETHANE SWIVEL WITH BRAKE



RUBBER SWIVEL



RUBBER RIGID



PNEUMATIC SWIVEL



PNEUMATIC RIGID

## Dolly Bases

Allows you to create a heavy duty, mobile shelving unit or cart. Constructed of durable formed steel, chrome plated finish. Includes corner bumpers. Plate casters must be ordered separately.

| W" x L" | Model No. |
|---------|-----------|
| 18 x 36 | DBC1836   |
| 18 x 48 | DBC1848   |
| 18 x 60 | DBC1860   |
| 24 x 36 | DBC2436   |
| 24 x 48 | DBC2448   |
| 24 x 60 | DBC2460   |






# WIRE SHELF STEM CASTER TRUCKS



SHOWN WITH OPTIONAL LEDGES, DIVIDERS, DOCUMENT HOLDER AND SAFETY HANDLE

Provides high visibility and easy 4-way access. Ensures quick and efficient inventory control. Ideal for mobile storage requirements. Allows air to circulate throughout, eliminating dust and dirt build-up. Allows you to keep linens, food items, stocked products and other regularly used items on hand, throughout the workplace.

Locking post collars are recommended for rough use over the road vibration and jolting. Order one per shelf. Part No. APL. See page 28.



| LEDGES |                  |                     |
|--------|------------------|---------------------|
| Size"  | Chrome Model No. | EP Series Model No. |
| 18     | AL418C           | AL418EP             |
| 21     | AL421C           | AL421EP             |
| 24     | AL424C           | AL424EP             |
| 36     | AL436C           | AL436EP             |
| 48     | AL448C           | AL448EP             |
| 60     | AL460C           | AL460EP             |

| SHELF DIVIDERS |                  |                     |
|----------------|------------------|---------------------|
| Size"          | Chrome Model No. | EP Series Model No. |
| 18             | AD818C           | AD818EP             |
| 21             | AD821C           | AD821EP             |
| 24             | AD824C           | AD824EP             |

| SAFETY PUSH HANDLE |           |
|--------------------|-----------|
| Width"             | Model No. |
| 18                 | AE18C     |
| 21                 | AE21C     |
| 24                 | AE24C     |

**Truck** consists of 4 posts, 4 shelves, plastic shelf clips, donut bumpers and swivel casters. Posts are 63"H. Casters are available in 5" resilient rubber wheel stem casters that have an 800 lb. load capacity, 5" polyurethane stem casters that have a 1200 lb. load capacity or 8" full pneumatic stem casters with a 1200 lb. capacity.



| <b>POLY-BRITE*</b> |                                |                                      |                                   |
|--------------------|--------------------------------|--------------------------------------|-----------------------------------|
| W" x L"            | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36            | C1836RZ                        | C1836PZ                              | C1836NZ                           |
| 18 x 48            | C1848RZ                        | C1848PZ                              | C1848NZ                           |
| 18 x 60            | C1860RZ                        | C1860PZ                              | C1860NZ                           |
| 21 x 36            | C2136RZ                        | C2136PZ                              | C2136NZ                           |
| 21 x 48            | C2148RZ                        | C2148PZ                              | C2148NZ                           |
| 21 x 60            | C2160RZ                        | C2160PZ                              | C2160NZ                           |
| 24 x 36            | C2436RZ                        | C2436PZ                              | C2436NZ                           |
| 24 x 48            | C2448RZ                        | C2448PZ                              | C2448NZ                           |
| 24 x 60            | C2460RZ                        | C2460PZ                              | C2460NZ                           |

| <b>CHROME</b> |                                |                                      |                                   |
|---------------|--------------------------------|--------------------------------------|-----------------------------------|
| W" x L"       | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36       | C1836RC                        | C1836PC                              | C1836NC                           |
| 18 x 48       | C1848RC                        | C1848PC                              | C1848NC                           |
| 18 x 60       | C1860RC                        | C1860PC                              | C1860NC                           |
| 21 x 36       | C2136RC                        | C2136PC                              | C2136NC                           |
| 21 x 48       | C2148RC                        | C2148PC                              | C2148NC                           |
| 21 x 60       | C2160RC                        | C2160PC                              | C2160NC                           |
| 24 x 36       | C2436RC                        | C2436PC                              | C2436NC                           |
| 24 x 48       | C2448RC                        | C2448PC                              | C2448NC                           |
| 24 x 60       | C2460RC                        | C2460PC                              | C2460NC                           |

| <b>NEXELON*</b> |                                |                                      |                                   |
|-----------------|--------------------------------|--------------------------------------|-----------------------------------|
| W" x L"         | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36         | C1836RN                        | C1836PN                              | C1836NN                           |
| 18 x 48         | C1848RN                        | C1848PN                              | C1848NN                           |
| 18 x 60         | C1860RN                        | C1860PN                              | C1860NN                           |
| 21 x 36         | C2136RN                        | C2136PN                              | C2136NN                           |
| 21 x 48         | C2148RN                        | C2148PN                              | C2148NN                           |
| 21 x 60         | C2160RN                        | C2160PN                              | C2160NN                           |
| 24 x 36         | C2436RN                        | C2436PN                              | C2436NN                           |
| 24 x 48         | C2448RN                        | C2448PN                              | C2448NN                           |
| 24 x 60         | C2460RN                        | C2460PN                              | C2460NN                           |

| <b>STAINLESS STEEL</b> |                                |                                      |                                   |
|------------------------|--------------------------------|--------------------------------------|-----------------------------------|
| W" x L"                | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36                | C1836RS                        | C1836PS                              | C1836NS                           |
| 18 x 48                | C1848RS                        | C1848PS                              | C1848NS                           |
| 24 x 36                | C2436RS                        | C2436PS                              | C2436NS                           |
| 24 x 48                | C2448RS                        | C2448PS                              | C2448NS                           |

\*Protected by NEXGard

**NOTE:** If rigid or brake style casters are required for your application, order a starter shelving unit and casters separately.



# WIRE SHELF DOLLY TRUCKS



Durability is the key to this mobile storage unit. Designed to answer a variety of material handling, food service and health facility needs. Open construction ensures easy access, while solid dolly base provides maximum stability. This truck is engineered to handle daily abuse for a lifetime of use.

| <b>POLYFLBRITE*</b> |                                      |                                   |
|---------------------|--------------------------------------|-----------------------------------|
| W" x L"             | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36             | D1836PZ                              | D1836NZ                           |
| 18 x 48             | D1848PZ                              | D1848NZ                           |
| 18 x 60             | D1860PZ                              | D1860NZ                           |
| 24 x 36             | D2436PZ                              | D2436NZ                           |
| 24 x 48             | D2448PZ                              | D2448NZ                           |
| 24 x 60             | D2460PZ                              | D2460NZ                           |

| <b>CHROME</b> |                                      |                                   |
|---------------|--------------------------------------|-----------------------------------|
| W" x L"       | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36       | D1836PC                              | D1836NC                           |
| 18 x 48       | D1848PC                              | D1848NC                           |
| 18 x 60       | D1860PC                              | D1860NC                           |
| 24 x 36       | D2436PC                              | D2436NC                           |
| 24 x 48       | D2448PC                              | D2448NC                           |
| 24 x 60       | D2460PC                              | D2460NC                           |

| <b>NEXELON*</b> |                                      |                                   |
|-----------------|--------------------------------------|-----------------------------------|
| W" x L"         | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36         | D1836PN                              | D1836NN                           |
| 18 x 48         | D1848PN                              | D1848NN                           |
| 18 x 60         | D1860PN                              | D1860NN                           |
| 24 x 36         | D2436PN                              | D2436NN                           |
| 24 x 48         | D2448PN                              | D2448NN                           |
| 24 x 60         | D2460PN                              | D2460NN                           |

| <b>STAINLESS STEEL</b> |                                      |                                   |
|------------------------|--------------------------------------|-----------------------------------|
| W" x L"                | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 36                | D1836PS                              | D1836NS                           |
| 18 x 48                | D1848PS                              | D1848NS                           |
| 24 x 36                | D2436PS                              | D2436NS                           |
| 24 x 48                | D2448PS                              | D2448NS                           |

\*Protected by NEXGard



**DOCUMENT HOLDER**

Model No. **AH**



**UTILITY BASKET**

Model No. **ASW177**



SHOWN WITH OPTIONAL LEDGES, DIVIDER AND 8" PNEUMATIC WHEELS

**Truck** consists of 4 posts, 4 shelves, plastic shelf clips, truck dolly with corner rubber bumper and two swivel and two rigid casters. Posts are 63"H. Available with 5" polyurethane wheel plate casters that have a 1000 lb. load capacity or 8" pneumatic wheel plate casters with a 1200 lb. load capacity. Dolly base is heavy duty steel. Chrome finish.

## Stem Caster Truck



SHOWN WITH OPTIONAL LEDGES, DIVIDERS, SAFETY HANDLE AND DOCUMENT HOLDER

Keep linens, food items, stocked products and other regularly used items on hand, throughout the workplace. Ideal for mobile storage requirements. Easy 4-way access and visibility. Ensures quick and efficient inventory control. **Truck** consists of 4 posts, 4 solid shelves, plastic shelf clips, donut bumpers and 5" dia. swivel casters. Posts are 63"H. Overall truck height is 69". Casters are available in resilient rubber wheel stem casters that have an 800 lb. load capacity or polyurethane wheel stem casters that have a 1200 lb. load capacity.

**NOTE:** If rigid, brake or larger casters are required for your application, order a starter shelving unit and casters separately.

| W" x L" | Rubber Wheel Casters   |                           |                            |                           | Polyurethane Casters   |                           |                            |                           |
|---------|------------------------|---------------------------|----------------------------|---------------------------|------------------------|---------------------------|----------------------------|---------------------------|
|         | Four Swivel            |                           | Four Swivel (2 with brake) |                           | Four Swivel            |                           | Four Swivel (2 with brake) |                           |
|         | Poly-Z-Brite Model No. | Stainless Steel Model No. | Poly-Z-Brite Model No.     | Stainless Steel Model No. | Poly-Z-Brite Model No. | Stainless Steel Model No. | Poly-Z-Brite Model No.     | Stainless Steel Model No. |
| 18 x 36 | C1836RZ4               | C1836RS4                  | C1836RZ2                   | C1836RS2                  | C1836PZ4               | C1836PS4                  | C1836PZ2                   | C1836PS2                  |
| 18 x 48 | C1848RZ4               | —                         | C1848RZ2                   | —                         | C1848PZ4               | —                         | C1848PZ2                   | —                         |
| 18 x 60 | C1860RZ4               | —                         | C1860RZ2                   | —                         | C1860PZ4               | —                         | C1860PZ2                   | —                         |
| 18 x 72 | C1872RZ4               | —                         | C1872RZ2                   | —                         | C1872PZ4               | —                         | C1872PZ2                   | —                         |
| 24 x 36 | C2436RZ4               | C2436RS4                  | C2436RZ2                   | C2436RS2                  | C2436PZ4               | C2436PS4                  | C2436PZ2                   | C2436PS2                  |
| 24 x 48 | C2448RZ4               | C2448RS4                  | C2448RZ2                   | C2448RS2                  | C2448PZ4               | C2448PS4                  | C2448PZ2                   | C2448PS2                  |
| 24 x 60 | C2460RZ4               | —                         | C2460RZ2                   | —                         | C2460PZ4               | —                         | C2460PZ2                   | —                         |
| 24 x 72 | C2472RZ4               | —                         | C2472RZ2                   | —                         | C2472PZ4               | —                         | C2472PZ2                   | —                         |

### SHELF LEDGES

| Length" | Model No. |
|---------|-----------|
| 18      | SL18C     |
| 24      | SL24C     |
| 36      | SL36C     |
| 48      | SL48C     |
| 60      | SL60C     |
| 72      | SL72C     |

### SHELF DIVIDERS

| Length" | Model No. |
|---------|-----------|
| 18      | SL18C     |
| 24      | SL24C     |



## Dolly Base Truck

Engineered to handle daily abuse for a lifetime of use. Durable construction answers a variety of material handling, food service and health facility needs. Dolly base is heavy duty steel, chrome plated, and provides maximum stability. **Truck** consists of 4 posts, 4 solid shelves, plastic shelf clips, truck dolly with rubber corner bumper and 5" dia. swivel casters. Posts are 63"H. Overall truck height is 69". Polyurethane plate casters have a 1,000 lb. load capacity.

**NOTE:** If rigid, brake or larger casters are required for your application, order shelves, posts, dolly base and casters separately as components.

| W" x L" | Polyurethane Casters   |                           |                            |                           |
|---------|------------------------|---------------------------|----------------------------|---------------------------|
|         | Four Swivel            |                           | Four Swivel (2 with brake) |                           |
|         | Poly-Z-Brite Model No. | Stainless Steel Model No. | Poly-Z-Brite Model No.     | Stainless Steel Model No. |
| 18 x 36 | D1836PZ4               | D1836PS4                  | D1836PZ2                   | D1836PS2                  |
| 18 x 48 | D1848PZ4               | —                         | D1848PZ2                   | —                         |
| 18 x 60 | D1860PZ4               | —                         | D1860PZ2                   | —                         |
| 24 x 36 | D2436PZ4               | D2436PS4                  | D2436PZ2                   | D2436PS2                  |
| 24 x 48 | D2448PZ4               | D2448PS4                  | D2448PZ2                   | D2448PS2                  |
| 24 x 60 | D2460PZ4               | —                         | D2460PZ2                   | —                         |

# TRAY TRUCKS



Open Design allows easy access and removal of contents, while minimizing dust accumulation and providing maximum air circulation. Highly space efficient. Trays adjust and remove easily and quickly. Non-Marring 5" x 1 1/4" polyurethane swivel casters (2 with brake) make your units mobile. Carts available in two different sizes. Chrome finish. Uses 26" x 18" trays, optional. Available in both side load and end load.

Our optional tray stop kit is available to help prevent trays from sliding out of cart. Stops fit both end load and side load trucks.

| Size<br>W" x L" x H" | Tray<br>Capacity | Tray<br>Type | Model No. |
|----------------------|------------------|--------------|-----------|
| 18 x 30 x 39         | 19               | Side         | TT19C     |
| 18 x 30 x 68         | 39               | Side         | TT39C     |
| 21 x 30 x 39         | 19               | End          | TT19CEL   |
| 21 x 30 x 68         | 39               | End          | TT39CEL   |

| TRAY STOP KITS |           |
|----------------|-----------|
| Cart Height"   | Model No. |
| 39             | TS39C     |
| 68             | TS68C     |

**Optional Trays** are 26" x 18" and temperature resistant from -60° to 250° F. Standard Trays are molded of off-white Fiberglass and have wire reinforced edges for extra strength. ESD Conductive Trays are molded of black thermoset composite material with permanent surface resistivity of <math>10^5</math> ohms/CQ.

| Tray Style | Model  |
|------------|--------|
| Standard   | FT2618 |
| ESD        | CT2618 |



**Trays  
Optional**



**ESD Conversion Kit** includes conductive Aluminum Shelf Sleeves and dissipative ground chain.

| Model No. | ESDK |
|-----------|------|
|-----------|------|

## Aluminum Shelf Clip

Use for high temperatures, heavy duty mobile trucks or conductive requirements.



| Model No. | AMA |
|-----------|-----|
|-----------|-----|

## Grounding Chain

Attaches to bottom shelf of mobile carts. Must be used in conjunction with aluminum shelf clips.




| Model No. | AGK |
|-----------|-----|
|-----------|-----|

## Tray Drying/Storage Racks

Ideal for both tray drying and storage. The modules fit on any 24" wide shelf. Modules come in 12" and 16" lengths. Combine modules to fit any length shelf. Uprights are spaced 1.75" apart. Modules fit over shelves. Poly Z Brite finish.

| W" x L" x H"    | Tray Capacity | Model No. |
|-----------------|---------------|-----------|
| 24 x 12 x 8 1/2 | 7             | TR1224Z   |
| 24 x 16 x 8 1/2 | 9             | TR1624Z   |





# EXCHANGE & LINEN TRANSPORT TRUCKS



**NOTE: ALL UNITS ARE AVAILABLE IN POLY-Z-BRITE FINISH. CHECK WITH NEXEL PRICE LIST FOR ORDERING INFORMATION**

Reduce inventory requirements and dispensing time by using this top of the line cart for exchanging supplies throughout health care or institutional facilities. Allows you to quickly view inventory on a daily basis. Reduced handling helps ensure quality control. Lightweight design makes for easy maneuvering, dolly base models help provide maximum stability. Designed for versatility, accessories can be added as requirements change. Carts feature open construction for maximum visibility and air penetration. Fast, easy assembly. Shelves with plastic clips easily lock into place on numbered posts and are adjustable on 1" increments. A variety of styles are available, choose the cart that best suits your needs. 69" high.

**FINISH SPECIFICATIONS:**  
**Posts** - Chrome plated  
**Wire Shelves** - Chrome plated  
**Solid Shelves** - Galvanized  
**Enclosure Panels** - Chrome plated  
**Dolly Base** - Chrome plated

**STANDARD DUTY** - 800 lb. capacity. Features 5" resilient rubber wheel swivel stem casters - two with brake.

**All units include 2 label holders per shelf.**

**FOR STANDARD & HEAVY DUTY TRUCKS NOTE:** The following optional accessories can add to the versatility of your unit. See the pages listed for additional descriptions and model numbers.

| ITEM                         | SEE PAGE |
|------------------------------|----------|
| Wire Shelves                 | 5        |
| Solid Shelves                | 9        |
| Three Sided Enclosure Panels | 19       |
| Label Holders                | 28       |
| Document Holder              | 28       |
| Tray Slide Inserts           | 29       |
| Dividers                     | 29       |
| Safety Push Handle           | 29       |
| Shelf Mats                   | 30       |
| Cart Covers                  | 30       |
| Tote Boxes/Drawers           | 49       |

• Five Wire Shelves



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XS52448   |
| 24 x 60 | XS52460   |

• Four Wire Shelves • One Solid Shelf



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XS412448  |
| 24 x 60 | XS412460  |

• Five Wire Shelves • Three Sided Enclosure Panels



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XS548EP   |
| 24 x 60 | XS560EP   |

# EXCHANGE & LINEN TRANSPORT TRUCKS



- Five Wire Shelves
  - Three Sided Enclosure Panels
- Shown with Optional Dividers



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XH548EP   |
| 24 x 60 | XH560EP   |

**HEAVY DUTY** - 1000 lb. capacity. Features steel dolly base with 5" polyurethane wheel swivel plate casters - two with brake.

All units include 2 label holders per intermediate wire shelf.

NOTE: ALL UNITS ARE AVAILABLE IN POLY-Z-BRITE FINISH. CHECK WITH NEXEL PRICE LIST FOR ORDERING INFORMATION



- Four Wire Shelves
  - One Solid Shelf
- Shown with Optional Dividers, Tray Slides & Tote Boxes

| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XH412448  |
| 24 x 60 | XH412460  |

- Three Wire Shelves
- Three Sided Enclosure Panels
- Two Dunnage Frames



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XH2148EP  |
| 24 x 60 | XH2160EP  |

- Five Wire Shelves
- Shown with Optional Dividers



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XH52448   |
| 24 x 60 | XH52460   |

- Five Wire Shelves
  - One Solid Shelf
  - Three Sided Enclosure Panels
- Shown with Optional Dividers, Tray Slides & Tote Boxes



| W" x L" | Model No. |
|---------|-----------|
| 24 x 48 | XH4148EP  |
| 24 x 60 | XH4160EP  |



# UTILITY CARTS – WIRE SHELF

## Utility Carts

Multi-purpose cart can store and transport packages, inventory, linens or food. Easy to handle cart can be maneuvered through corridors and doorways without difficulty. Shelves adjust on 1" increments for added versatility.



TWO SHELF CART SHOWN WITH OPTIONAL LEDGES



SHOWN WITH OPTIONAL LEDGES, DIVIDER AND SHELF MATS

**NOTE:** To create other size carts, order shelves, handles, ledges and casters as components. "U" shaped handles are furnished in chrome finish on all units.

### TWO SHELF MODELS

Cart consists of 2 chrome-plated "U" shaped handles, 2 or 3 shelves (as indicated), plastic shelf clips, choice of caster and donut bumpers. Casters are available in resilient rubber wheel casters with a capacity of 800 lbs., polyurethane wheel casters that have a 1200 lb. load capacity and 8" full pneumatic wheels with a capacity of 1200 lbs. Rubber and polyurethane casters come packaged as 4 swivel stem casters. Full pneumatic comes packed as 2 rigid and 2 swivel casters. Tie Bar included. Overall height 39".

| W" x L" | POLYLBRITE*                    |                                      |                                   | CHROME                         |                                      |                                   | NEXELON*                       |                                      |                                   |
|---------|--------------------------------|--------------------------------------|-----------------------------------|--------------------------------|--------------------------------------|-----------------------------------|--------------------------------|--------------------------------------|-----------------------------------|
|         | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 30 | 1830R2Z                        | 1830P2Z                              | 1830N2Z                           | 1830R2C                        | 1830P2C                              | 1830N2C                           | 1830R2N                        | 1830P2N                              | 1830N2N                           |
| 18 x 36 | 1836R2Z                        | 1836P2Z                              | 1836N2Z                           | 1836R2C                        | 1836P2C                              | 1836N2C                           | 1836R2N                        | 1836P2N                              | 1836N2N                           |
| 18 x 42 | 1842R2Z                        | 1842P2Z                              | 1842N2Z                           | 1842R2C                        | 1842P2C                              | 1842N2C                           | 1842R2N                        | 1842P2N                              | 1842N2N                           |
| 21 x 30 | 2130R2Z                        | 2130P2Z                              | 2130N2Z                           | 2130R2C                        | 2130P2C                              | 2130N2C                           | 2130R2N                        | 2130P2N                              | 2130N2N                           |
| 21 x 36 | 2136R2Z                        | 2136P2Z                              | 2136N2Z                           | 2136R2C                        | 2136P2C                              | 2136N2C                           | 2136R2N                        | 2136P2N                              | 2136N2N                           |
| 21 x 42 | 2142R2Z                        | 2142P2Z                              | 2142N2Z                           | 2142R2C                        | 2142P2C                              | 2142N2C                           | 2142R2N                        | 2142P2N                              | 2142N2N                           |
| 21 x 48 | 2148R2Z                        | 2148P2Z                              | 2148N2Z                           | 2148R2C                        | 2148P2C                              | 2148N2C                           | 2148R2N                        | 2148P2N                              | 2148N2N                           |
| 24 x 30 | 2430R2Z                        | 2430P2Z                              | 2430N2Z                           | 2430R2C                        | 2430P2C                              | 2430N2C                           | 2430R2N                        | 2430P2N                              | 2430N2N                           |
| 24 x 36 | 2436R2Z                        | 2436P2Z                              | 2436N2Z                           | 2436R2C                        | 2436P2C                              | 2436N2C                           | 2436R2N                        | 2436P2N                              | 2436N2N                           |
| 24 x 42 | 2442R2Z                        | 2442P2Z                              | 2442N2Z                           | 2442R2C                        | 2442P2C                              | 2442N2C                           | 2442R2N                        | 2442P2N                              | 2442N2N                           |
| 24 x 48 | 2448R2Z                        | 2448P2Z                              | 2448N2Z                           | 2448R2C                        | 2448P2C                              | 2448N2C                           | 2448R2N                        | 2448P2N                              | 2448N2N                           |
| 24 x 60 | 2460R2Z                        | 2460P2Z                              | 2460N2Z                           | 2460R2C                        | 2460P2C                              | 2460N2C                           | 2460R2N                        | 2460P2N                              | 2460N2N                           |

### THREE SHELF MODELS



| W" x L" | POLYLBRITE*                    |                                      |                                   | CHROME                         |                                      |                                   | NEXELON*                       |                                      |                                   |
|---------|--------------------------------|--------------------------------------|-----------------------------------|--------------------------------|--------------------------------------|-----------------------------------|--------------------------------|--------------------------------------|-----------------------------------|
|         | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. | Rubber Wheel Casters Model No. | Polyurethane Wheel Casters Model No. | Pneumatic Wheel Casters Model No. |
| 18 x 30 | 1830R3Z                        | 1830P3Z                              | 1830N3Z                           | 1830R3C                        | 1830P3C                              | 1830N3C                           | 1830R3N                        | 1830P3N                              | 1830N3N                           |
| 18 x 36 | 1836R3Z                        | 1836P3Z                              | 1836N3Z                           | 1836R3C                        | 1836P3C                              | 1836N3C                           | 1836R3N                        | 1836P3N                              | 1836N3N                           |
| 18 x 42 | 1842R3Z                        | 1842P3Z                              | 1842N3Z                           | 1842R3C                        | 1842P3C                              | 1842N3C                           | 1842R3N                        | 1842P3N                              | 1842N3N                           |
| 21 x 30 | 2130R3Z                        | 2130P3Z                              | 2130N3Z                           | 2130R3C                        | 2130P3C                              | 2130N3C                           | 2130R3N                        | 2130P3N                              | 2130N3N                           |
| 21 x 36 | 2136R3Z                        | 2136P3Z                              | 2136N3Z                           | 2136R3C                        | 2136P3C                              | 2136N3C                           | 2136R3N                        | 2136P3N                              | 2136N3N                           |
| 21 x 42 | 2142R3Z                        | 2142P3Z                              | 2142N3Z                           | 2142R3C                        | 2142P3C                              | 2142N3C                           | 2142R3N                        | 2142P3N                              | 2142N3N                           |
| 21 x 48 | 2148R3Z                        | 2148P3Z                              | 2148N3Z                           | 2148R3C                        | 2148P3C                              | 2148N3C                           | 2148R3N                        | 2148P3N                              | 2148N3N                           |
| 24 x 30 | 2430R3Z                        | 2430P3Z                              | 2430N3Z                           | 2430R3C                        | 2430P3C                              | 2430N3C                           | 2430R3N                        | 2430P3N                              | 2430N3N                           |
| 24 x 36 | 2436R3Z                        | 2436P3Z                              | 2436N3Z                           | 2436R3C                        | 2436P3C                              | 2436N3C                           | 2436R3N                        | 2436P3N                              | 2436N3N                           |
| 24 x 42 | 2442R3Z                        | 2442P3Z                              | 2442N3Z                           | 2442R3C                        | 2442P3C                              | 2442N3C                           | 2442R3N                        | 2442P3N                              | 2442N3N                           |
| 24 x 48 | 2448R3Z                        | 2448P3Z                              | 2448N3Z                           | 2448R3C                        | 2448P3C                              | 2448N3C                           | 2448R3N                        | 2448P3N                              | 2448N3N                           |
| 24 x 60 | 2460R3Z                        | 2460P3Z                              | 2460N3Z                           | 2460R3C                        | 2460P3C                              | 2460N3C                           | 2460R3N                        | 2460P3N                              | 2460N3N                           |

\*Protected by NEXGard

## Galvanized or Stainless Steel Utility Cart

Perfect for food service, hospitals, labs, inventory and more. Choose between Galvanized or Type 304 Stainless Steel shelves. Shelves adjust on 1" increments to accommodate varying requirements. 5" polyurethane swivel casters with donut bumpers help protect walls and doorways. Handles have a chrome finish. Choose between 2 or 3 shelf carts. 800 lb. capacity. For additional configurations or sizes, order shelves, handles and casters individually. Wire, solid and plastic shelves can be mixed on the same unit. Overall height 39".

### 2 SHELF

| W" x L" | Galvanized Model No. | Stainless Model No. |
|---------|----------------------|---------------------|
| 18 x 36 | 1836P2SZ             | 1836P2SS            |
| 24 x 36 | 2436P2SZ             | 2436P2SS            |
| 24 x 48 | 2448P2SZ             | 2448P2SS            |

### 3 SHELF

| W" x L" | Galvanized Model No. | Stainless Model No. |
|---------|----------------------|---------------------|
| 18 x 36 | 1836P3SZ             | 1836P3SS            |
| 24 x 36 | 2436P3SZ             | 2436P3SS            |
| 24 x 48 | 2448P3SZ             | 2448P3SS            |

### SHELF LEDGES

| Length" | Model No. |
|---------|-----------|
| 18      | SL18C     |
| 24      | SL24C     |
| 36      | SL36C     |
| 48      | SL48C     |

### SHELF DIVIDERS

| Length" | Model No. |
|---------|-----------|
| 18      | SD18C     |
| 24      | SD24C     |



SHOWN WITH OPTIONAL SHELF DIVIDERS AND LEDGES



SIMPLY SNAP TOGETHER AND SLIDE SHELF OVER CLIPS FOR POSITIVE LOCKING.

## Adjustable Shelf Cart

### Chrome Plated Wire or Galvanized Solid Steel Shelves

Super-strong cart stores and transports safely and efficiently. Ideal for warehouse, lab, factory, hospital and more. Shelves adjust on 1" increments. Numbered posts allow quick positioning at desired height. 5" polyurethane wheel swivel casters with donut bumpers. 800 lb. capacity. Overall height for all carts is 40".



| W"x L"  | WIRE Model No. | SOLID Model No. |
|---------|----------------|-----------------|
| 18 x 36 | SC18363        | SC1836SZ        |
| 18 x 48 | SC18483        | SC1848SZ        |
| 18 x 60 | SC18603        | SC1860SZ        |
| 18 x 72 | SC18723        | SC1872SZ        |
| 24 x 36 | SC24363        | SC2436SZ        |
| 24 x 48 | SC24483        | SC2448SZ        |
| 24 x 60 | SC24603        | SC2460SZ        |
| 24 x 72 | SC24723        | SC2472SZ        |

## Solid Plastic Shelf Utility Carts

Solid Shelf Cart consists of 2 chrome plated handles, 2 or 3 solid plastic shelves and a choice of rubber or polyurethane swivel casters, 2 with brake. Solid plastic shelves are made of durable, rust and stain resistant plastic, that cleans with ease. Raised lip, along edge of shelf, prevents spills from overflowing. Overall height 39". 800 lb. capacity.



SOLID SHELF UTILITY CART - 2 SHELF

| W"x L"  | Rubber Wheel Caster Model No. | Polyurethane Wheel Caster Model No. |
|---------|-------------------------------|-------------------------------------|
| 18 x 36 | 1836R2SP                      | 1836P2SP                            |
| 24 x 48 | 2448R2SP                      | 2448P2SP                            |

SOLID SHELF UTILITY CART - 3 SHELF

| W"x L"  | Rubber Wheel Caster Model No. | Polyurethane Wheel Caster Model No. |
|---------|-------------------------------|-------------------------------------|
| 18 x 36 | 1836R3SP                      | 1836P3SP                            |
| 24 x 48 | 2448R3SP                      | 2448P3SP                            |



## Stainless Steel Utility Cart

### 400 lb. capacity

Ideal for use in clean rooms, restaurants and other corrosive environments. Premium 304 polished stainless steel throughout, with 20 gauge shelves and strong 16 gauge shelf uprights for years of service. 24"L x 15"W x 33"H with 12" clearance between shelves. Top and middle shelves have 1 1/4" lips on 3 sides to help retain cargo during transit, while flush lower shelf is ideal for oversized items. Comfortable tubular push handle. Rolls smoothly on four 4" swivel non-marring rubber casters, 2 with brakes.

|           |         |
|-----------|---------|
| Model No. | SSC1524 |
|-----------|---------|



## Aluminum Two-In-One Hand truck with Aluminum Noseplate

Converts in an instant from a standard hand truck to a useful platform truck. Convenient spring loaded auto-lock release bar offers simple conversion. High strength, lightweight aluminum frame and large 18" x 9" beveled noseplate with integral wheelguards to protect load. Anti-Slip foam grip handle provides safety and comfort. Hand truck position has 500 lb. capacity and is 62"H. Platform position offers 800 lb. capacity and is 56"L x 12"W x 45"H with 11<sup>1</sup>/<sub>2</sub>" deck height. 10" x 3<sup>1</sup>/<sub>2</sub>" full pneumatic wheels and 5" x 1<sup>1</sup>/<sub>4</sub>" rubber swivel casters offer smooth rolling in any environment. **Weighs just 48 lbs.!**



| Model No. | Description                    |
|-----------|--------------------------------|
| ALHT501   | Aluminum 2 in 1 Hand Truck     |
| ASND      | Aluminum Snap On Deck          |
| CSND      | Carpeted Aluminum Snap On Deck |

### Replacement Parts:

| Model No. | Description                                  |
|-----------|--|
| CA5HTR    | Set of (2) 5" Swivel Casters                 |
| RNP18     | Noseplate                                    |
| CA10HTN   | Set of (2) 10" pneumatic wheels and axle kit |



## Folding Hand Cart



**275 lb. capacity**



Model No. **FHT200**

Lightweight aluminum tube frame cart is strong enough for heavy loads, **yet weighs only 12 lbs.** Simple push button operation and telescopic handle retracts wheels and folds noseplate automatically in seconds. Large 19"W x 13"D cast aluminum noseplate carries bulky items easily. Comfortable anti-slip foam grip on handle. 7" x 1<sup>1</sup>/<sub>2</sub>" non-marring shock absorbent rubber wheels for smooth rolling. 19"W x 42<sup>1</sup>/<sub>2</sub>"H overall; 31" H when folded.

## Economy Hand Truck

**Hand Truck** has an easy to handle design and accepts loads up to 600 lbs. 20" x 7" nose plate helps keep materials stable during move. Rugged 1<sup>1</sup>/<sub>4</sub>" dia. tubular steel frame double welded at critical stress points for a lifetime of service. 52" H x 22"W. Durable enamel finish resists rust and scratches. Pneumatic wheels 10" x 3<sup>1</sup>/<sub>2</sub>". Protective vinyl wear guards included. Limited 5 Year Frame Warranty.


Model No. **HT600**





# PLATFORM TRUCKS

## Steel Deck Truck



EXCLUSIVE BETTER BUILT CHANNEL REINFORCED DECK



All Welded Construction

All welded heavy duty 14 gauge steel decks, reinforced with internal longitudinal stiffening members for extra strength. **Non-marring integral corner bumpers protect walls.** Removable pipe handle. Bolt-on casters are double ball race, two swivel and two rigid. Durable baked gray enamel finish. 5" dia. wheels offer 7 1/2" deck height, 6" dia. have 8 1/2" height and 8" dia. have 10 3/4" height.

| W" x L" | 5" x 1 1/4" wheels<br>Polyurethane<br>1000 lb. cap.<br>Model No. | 5" x 1 1/2" wheels<br>Rubber Tired<br>1400 lb. cap.<br>Model No. | 6" x 2 wheels<br>Rubber Tired<br>2000 lb. cap.<br>Model No. | 8" x 2" wheels<br>Rubber Tired<br>2400 lb. cap.<br>Model No. | 8" x 2 1/2" wheels<br>Pneumatic<br>1200 lb. cap.<br>Model No. |
|---------|--|--|---|--|---|
| 24 x 36 | SD2436P5   | SD2436R5   | SD2436R6  | SD2436R8   | SD2436N8  |
| 24 x 48 | SD2448P5   | SD2448R5   | SD2448R6  | SD2448R8   | SD2448N8  |
| 30 x 48 | SD3048P5   | SD3048R5   | SD3048R6  | SD3048R8   | SD3048N8  |
| 30 x 60 | SD3060P5   | SD3060R5   | SD3060R6  | SD3060R8   | SD3060N8  |
| 36 x 72 | SD3672P5   | SD3672R5   | SD3672R6  | SD3672R8   | SD3672N8  |

SHOCK-ABSORBING PNEUMATIC WHEELS

PROTECTIVE BUMPERS

## Folding Utility Platform Truck

Comfortable 32"H handle. Handle folds down flat for compact storage. Protective vinyl bumpers.



TELESCOPING ALUMINUM DECK

| Model No.                           | Platform Size W" x L" | Capacity lbs. | Caster Type  |
|-------------------------------------|-----------------------|---------------|--------------|
| TELESCOPING ALUMINUM DECK<br>TFP300 | 16 x 28               | 300           | 4" Rubber    |
| SOLID STEEL DECK<br>FP300           | 19 x 29               | 300           | 4" Rubber    |
| FP600                               | 23 x 35               | 600           | 5" Rubber    |
| FP600N                              | 23 x 35               | 600           | 8" Pneumatic |



SOLID STEEL DECK WITH NON-SKID HEAVY VINYL SURFACE

SHOWN WITH ADDITIONAL REMOVABLE HANDLE



## Plastic Platform Truck

Rugged injection molded polypropylene platform is corrosion resistant and easily cleaned. Underside of platform is ribbed for extra strength to help absorb impact. Offset epoxy coated handle and 2 swivel and 2 rigid casters help to ease transport of materials.

| W" x L" | Capacity | Model No. | ADDITIONAL HANDLE Model No. |
|---------|----------|-----------|-----------------------------|
| 24 x 36 | 1000     | PPT3624   | H3624                       |
| 25 x 52 | 2000     | PPT5225   | H5225                       |

## Nest-Away Folding Truck

Strong 16 gauge tubular steel frame folds and nests for space saving storage. 42" x 30" bottom shelf folds up and right side folds in forming an "L" shape for easy, compact storage. Large 6" x 2" mold-on rubber casters, 2-swivel, 2 rigid. 1200 lb. capacity. **Optional Shelf** is 42"W x 30"D, has a 1000 lb. capacity and hangs onto welded cross members on truck frame. Add up to 3 additional shelves. Gray enamel finish. 43"W x 32"D x 67"H overall.

|                |           |          |
|----------------|-----------|----------|
|                | Model No. | NTF1200  |
| OPTIONAL SHELF | Model No. | NTFS1000 |



## Panel And Lumber Truck

Transport plywood, drywall, lumber, pipe and other long, bulky products with ease. Removable 13<sup>3</sup>/<sub>16</sub>" dia. steel pipe uprights are 24" and 34" high and offer (2) 7"W and (1) 10"W bays to help keep the oversized cargo stable. Strong 60"L x 30"W 14 gauge channel reinforced steel deck with welded upright sockets for maximum durability. Rolls easily on 2 swivel, 2 rigid casters. 6" wheels offer 9<sup>1</sup>/<sub>2</sub>" deck height while 8" wheels offer 11<sup>1</sup>/<sub>2</sub>" height. Scratch resistant enamel finish. Assembles easily. Optional 1/2" thick Carpeted Plywood Deck helps protect cargo, offers quieter transport. Specify Carpeted Deck suffix (C) to model no.

**60"L x 30"W Deck**  
**2400 lb. capacity**

|  |  |  |
|--|--|--|
| 2000 lb. cap.<br>Mold-On Rubber<br>6" x 2" Wheels<br>Model No. | 2400 lb. cap.<br>Mold-On Rubber<br>8" x 2" Wheels<br>Model No. | 1200 lb. cap.<br>Full Pneumatic<br>6" x 2 1/2" Wheels<br>Model No. |
| LT30606R   | LT30608R   | LT3060N  |



## Adjustable Panel Truck

**Upright Pipe Frames** adjust to allow different sizes to be separated for easy access, while keeping materials upright. Upright Pipe Frames adjust on 3<sup>1</sup>/<sub>2</sub>" increments. (**Upright frames sold separately**) 24"W truck has 7 sockets, 30"W truck has 9 sockets. Truck platform has a 1<sup>1</sup>/<sub>2</sub>" x 1/2" thick protective wrap-around angle iron frame with rounded safety edges. Rugged 3/4" thick plywood deck has a durable lacquer finish. Choose from 3 caster types. All available with 2 swivel, 2 rigid casters. Durable blue enamel finish.

| W" x L" | 6" x 2" wheels<br>Mold-on Rubber<br>2000 lb. cap.<br>Model No. | 8" x 2" wheels<br>Mold-on Rubber<br>2400 lb. cap.<br>Model No. | 8" x 2.5 wheels<br>Pneumatic<br>1200 lb. cap.<br>Model No. |
|---------|--|--|--|
| 24 x 48 | PT2448P  | PT2448R  | PT2448N  |
| 30 x 60 | PT3060P  | PT3060R  | PT3060N  |

| UPRIGHT FRAMES<br>(Sold in Pairs) |           |
|-----------------------------------|-----------|
| H" x L"                           | Model No. |
| 12 x 48                           | UF1248    |
| 26 x 48                           | UF2648    |
| 38 x 48                           | UF3848    |
| 12 x 60                           | UF1260    |
| 26 x 60                           | UF2660    |
| 38 x 60                           | UF3860    |



## Capital Steel Lockers



**FIVE KNUCKLE HINGES WITH LAPPED AND WELDED STEEL DOOR FRAME**



**COAT ROD**



**HAT SHELF AND COAT HOOKS**



**CATCH-FREE RECESSED HANDLE**

Our Capital lockers provide performance and reliability. Reinforced, welded frame-and-door assemblies ensure maximum security. Doors are styled with a catch-free recessed handle and padlockable friction hasp for quiet operation and ventilated with 2 sets of louvers. Durable powder coat finish resists wear and scratches for years of attractive service. Legs add 6" to height. Includes blank number plates. Optional locks, numbered plate kits and bases sold separately. Choose from tan or gray and assembled or ready-to-assemble styles. **Single Tier** lockers include a hat shelf and double and single-prong coat hooks (the 18" deep model also includes coat rod). **Double Tier** lockers include double and single-prong coat hooks. **Assembled lockers are not returnable.**

| Opening<br>W" x D" x H" | Overall<br>Width" | Doors | Wt. | READY TO ASSEMBLE |                    |
|-------------------------|-------------------|-------|-----|-------------------|--------------------|
|                         |                   |       |     | Model             | ASSEMBLED<br>Model |
| <b>Single Tier</b>      |                   |       |     |                   |                    |
| 12 x 15 x 72            | 12                | 1     | 50  | CS151KD           | CS151AS            |
| 12 x 15 x 72            | 36                | 3     | 147 | CS153KD           | CS153AS            |
| 12 x 18 x 72            | 12                | 1     | 53  | CS181KD           | CS181AS            |
| 12 x 18 x 72            | 36                | 3     | 162 | CS183KD           | CS183AS            |
| <b>Double Tier</b>      |                   |       |     |                   |                    |
| 12 x 15 x 36            | 12                | 2     | 52  | CS152KD           | CS152AS            |
| 12 x 15 x 36            | 36                | 6     | 149 | CS156KD           | CS156AS            |
| 12 x 18 x 36            | 12                | 2     | 55  | CS182KD           | CS182AS            |
| 12 x 18 x 36            | 36                | 6     | 162 | CS186KD           | CS186AS            |

Specify color suffix Gray (G) or Tan (T)

### Accessories

#### CLOSED BASES

Encloses the area between the locker legs for a clean appearance and easier maintenance. Order by locker width and depth. Available in tan or gray.



| Model | Description     |
|-------|-----------------|
| FB12  | 12"W Front Base |
| EB15  | 15"D End Base   |
| EB18  | 18"D End Base   |

Specify color suffix Gray (G) or Tan (T)



#### SLOPE TOP KITS

Up to 3 lockers wide. Includes 3 tops, 2 sides and 3 backs

| Model  | Opening |        |
|--------|---------|--------|
|        | Width"  | Depth" |
| ST1212 | 12      | 12     |
| ST1215 | 12      | 15     |
| ST1218 | 12      | 18     |
| ST1518 | 15      | 18     |

Specify color suffix Gray (G) or Tan (T)

#### NUMBERED PLATE KITS


Numbered aluminum plates. Includes rivets. Model NPK100 includes rivet gun.



| Model  | Description      |
|--------|------------------|
| NPK100 | Numbered 1-100   |
| NPK200 | Numbered 101-299 |
| NPK300 | Numbered 300-499 |

#### LOCKS

Available in 2 styles: Built in Combination Lock includes a preset combination.



| Mode    | Description                                   |
|---------|---|
| BCL1930 | Built-in Combo Lock Six tier                  |
| BCL1931 | Built-in Combo Lock Single/Double/Triple tier |

# LOCKERS



## Paramount Steel Lockers



Model  
P6128ASB



Model  
P122AST

Model  
PT123AST



CHROME  
DOOR  
LATCH FOR  
SMOOTH  
FINGERTIP  
OPENING

Model  
PS1536AG

SHOWN WITH OPTIONAL  
CLOSED BASE

The Paramount series lockers feature 16 gauge steel doors, 5-knuckle security hinges, quiet operating latch mechanism, and welded, reinforced frame-and-door assemblies for maximum security. Extra wide louvers promote ventilation. Legs add 6" to height. Durable, attractive powder coat finish is available in the 3 most popular locker colors: blue, tan and gray. Includes blank number plates. Lockers feature finished sides; no need for decorative end panels. Optional locks, numbered plate kits and bases sold separately. **Assembled lockers are not returnable.**

**Single Tier** lockers have secure 3-point positive locking system, hat shelf, chrome door latch and double and single-prong coat hooks (18" deep model also includes coat rod).

**Double Tier & Triple Tier** lockers have secure 2-point positive locking system, chrome door latch and double and single prong coat hooks. **Six Tier** Lockers feature padlockable friction latch and hasp closures.

**Sixteen Person** lockers featured the same as **six tier** and are arranged around a central coat rod. Each compartment is 12"W x 18"D x 12"H.



Model  
P61816AST

\*Ships partially assembled

| Paramount Premium Lockers |                   |       |     |                                |                    |
|---------------------------|-------------------|-------|-----|--------------------------------|--------------------|
| Opening<br>W" x D" x H"   | Overall<br>Width" | Doors | Wt. | READY TO<br>ASSEMBLE<br>Model* | ASSEMBLED<br>Model |
| <b>Single Tier</b>        |                   |       |     |                                |                    |
| 12 x 12 x 60              | 12                | 1     | 43  | PS1216K                        | PS1216A            |
| 12 x 12 x 60              | 36                | 3     | 133 | PS1236K                        | PS1236A            |
| 12 x 15 x 60              | 12                | 1     | 47  | PS1516K                        | PS1516A            |
| 12 x 15 x 60              | 36                | 3     | 140 | PS1536K                        | PS1536A            |
| 12 x 18 x 60              | 12                | 1     | 52  | PS1816K                        | PS1816A            |
| 12 x 18 x 60              | 36                | 3     | 154 | PS1836K                        | PS1836A            |
| 12 x 12 x 72              | 12                | 1     | 46  | PS1217K                        | PS1217A            |
| 12 x 12 x 72              | 36                | 3     | 144 | PS1237K                        | PS1237A            |
| 12 x 18 x 72              | 12                | 1     | 55  | PS1517K                        | PS1517A            |
| 12 x 18 x 72              | 36                | 3     | 167 | PS1537K                        | PS1537A            |
| 15 x 18 x 72              | 15                | 1     | 66  | PS1817K                        | PS1817A            |
| 15 x 18 x 72              | 45                | 3     | 181 | PS1837K                        | PS1837A            |
| <b>Double Tier</b>        |                   |       |     |                                |                    |
| 12 x 12 x 36              | 12                | 2     | 51  | PD122KD                        | PD122AS            |
| 12 x 12 x 36              | 36                | 6     | 153 | PD126KD                        | PD126AS            |
| 12 x 15 x 36              | 12                | 2     | 55  | PD152KD                        | PD152AS            |
| 12 x 15 x 36              | 36                | 6     | 159 | PD156KD                        | PD156AS            |
| 12 x 18 x 36              | 12                | 2     | 58  | PD182KD                        | PD182AS            |
| 12 x 18 x 36              | 36                | 6     | 172 | PD186KD                        | PD186AS            |
| <b>Triple Tier</b>        |                   |       |     |                                |                    |
| 12 x 15 x 24              | 12                | 3     | 56  | PT123KD                        | PT123AS            |
| 12 x 15 x 24              | 36                | 9     | 161 | PT129KD                        | PT129AS            |
| <b>Six Tier</b>           |                   |       |     |                                |                    |
| 12 x 12 x 12              | 12                | 6     | 54  | P6126KD                        | P6126AS            |
| 12 x 12 x 12              | 36                | 18    | 161 | P6128KD                        | P6128AS            |
| 12 x 15 x 12              | 12                | 6     | 65  | P6156KD                        | P6156AS            |
| 12 x 15 x 12              | 36                | 18    | 175 | P6158KD                        | P6158AS            |
| <b>Sixteen Person</b>     |                   |       |     |                                |                    |
| 12 x 18 x 12              | 69                | 16    | 168 | P61816KD                       | P61816AS*          |

\*All models: specify color suffix Blue (B), Gray (G) or Tan (T)



# SECURITY UNITS

## Wire Security Shelving & Trucks




Shown with one optional shelf

Look to **NEXEL** for a safer and more secure way to store valuable equipment and inventory. Open 2" square grid mesh ensures high visibility, while lockable double door (opens a full 270°) keeps contents protected. Security units feature adjustable levelers and assemble easily. Available in Chrome and Poly-Z-Brite. All units are 66" high with top and bottom shelf.

**NOTE:** Available accessories include: Shelf Dividers, Foot Plates, and Tray Slide Inserts

| W" x L" | POLY-Z-BRITE* |   |  |
|---------|---------------|---|--|
|         | Model No.     | Optional EZ Adjust Interior Shelf Model No. | Optional Standard Interior Shelf Model No. |
| 24 x 36 | SU2436Z       | S2436AZ                                     | S2436Z                                     |
| 24 x 48 | SU2448Z       | S2448AZ                                     | S2448Z                                     |
| 24 x 60 | SU2460Z       | S2460AZ                                     | S2460Z                                     |

| W" x L" | CHROME    |   |  |
|---------|-----------|---|--|
|         | Model No. | Optional EZ Adjust Interior Shelf Model No. | Optional Standard Interior Shelf Model No. |
| 18 x 36 | SU1836C   | S1836AC                                     | S1836C                                     |
| 18 x 48 | SU1848C   | S1848AC                                     | S1848C                                     |
| 24 x 36 | SU2436C   | S2436AC                                     | S2436C                                     |
| 24 x 48 | SU2448C   | S2448AC                                     | S2448C                                     |
| 24 x 60 | SU2460C   | S2460AC                                     | S2460C                                     |



## Fold-Up Security Truck

\*Protected by NEXGard

Help protect inventory from theft and damage with this completely enclosed truck. Open construction reduces dust accumulation and increases visibility. Fold to 6" for compact storage. Heavy gauge 1" x 2" wire mesh. 1" square tubing covered with 20 ga. sheet metal. Solid center shelf divides truck into two 34"H compartments and increases strength of unit. 2 rigid and 2 swivel 6" x 2" molded on rubber wheel casters increase mobility. 44 1/2" x 27" x 76"H. 2000 lb. capacity. Padlockable. Gray epoxy finished. Ships assembled.

Model No. **STF2000**



FOLDS TO 6"



# WIRE SHELVING SYSTEMS



**MODEL STS2448C SHOWN WITH 1 OPTIONAL INTERIOR SHELF AND DOCUMENT HOLDER WITH OPTIONAL BRAKE CASTERS**

**STANDARD UNIT** - Features stem casters with 3" donut bumpers.



**MODEL STH2448C SHOWN WITH 2 OPTIONAL INTERIOR SHELVES**

**HEAVY DUTY UNIT** - Features rugged dolly base platform with plate casters and corner bumpers.

These **Security Trucks** feature the same quality construction as the stationary security units on the previous page. Keep valuable items such as meats, liquor, silver, pharmaceuticals, syringes and expensive tools secure and at the same time be able to transport them throughout your facility. Lockable doors prevent items from falling out of truck while in transit. Standard duty comes with 5" polyurethane swivel casters. Heavy duty comes with 6" molded rubber casters and Dolly Base. Compact size makes it ideal for permanent inventory storage. 69"H. Available in Chrome and Poly-Z-Brite finish.



Optional **E-Z Adjust Shelves** allow for shelf adjustment, removal or addition without disassembling the entire unit. Just lift off shelf and reposition to desired height.

| SECURITY TRUCKS |            |              |              |           |
|-----------------|------------|--------------|--------------|-----------|
| W" x L"         | Style      | Capacity lb. | POLY-BRITE * |           |
|                 |            |              | Model No.    | Model No. |
| 18 x 36         | Standard   | 1200         | ---          | STS1836C  |
| 18 x 36         | Heavy Duty | 1600         | ---          | STH1836C  |
| 18 x 48         | Standard   | 1200         | ---          | STS1848C  |
| 18 x 48         | Heavy Duty | 1600         | ---          | STH1848C  |
| 24 x 36         | Standard   | 1200         | STS2436Z     | STS2436C  |
| 24 x 36         | Heavy Duty | 1600         | STH2436Z     | STH2436C  |
| 24 x 48         | Standard   | 1200         | STS2448Z     | STS2448C  |
| 24 x 48         | Heavy Duty | 1600         | STH2448Z     | STH2448C  |
| 24 x 60         | Standard   | 1200         | STS2460Z     | STS2460C  |
| 24 x 60         | Heavy Duty | 1600         | STH2460Z     | STH2460C  |

| OPTIONAL INTERIOR SHELVES |                     |                    |                     |                    |
|---------------------------|---------------------|--------------------|---------------------|--------------------|
| W" x L"                   | POLY-BRITE *        |                    | CHROME              |                    |
|                           | EZ Adjust Model No. | Standard Model No. | EZ Adjust Model No. | Standard Model No. |
| 18 x 36                   | ---                 | ---                | S1836AC             | S1836C             |
| 18 x 48                   | ---                 | ---                | S1848AC             | S1848C             |
| 24 x 36                   | S2436AZ             | S2436Z             | S2436AC             | S2436C             |
| 24 x 48                   | S2448AZ             | S2448Z             | S2448AC             | S2448C             |
| 24 x 60                   | S2460AZ             | S2460Z             | S2460AC             | S2460C             |

\*Protected by NEXGard



**SINGLE-SIDED FLOOR RACK -**  
36"W x 50"H x 13 1/2"D

Model No. **FBR36501**



**DOUBLE-SIDED MOBILE CART**  
- 36"W x 54"H x 25 1/2"D

Model No. **MBR36501**

## Hi-Capacity Bin Racks

Organize, transport and store parts, components and hardware with maximum efficiency. Heavy duty 16 gauge steel louvered bin rack provides easy removal of polypropylene bins. Double-Sided Mobile Cart comes with 3" rubber wheel casters with 500 lb. capacity. Gray enamel finish. Order Bins separately.



**BENCH RACK - 36"W x 20"H x 9"D**

Model No. **BBR3620**



| PANELS ONLY (Sold 4 per carton) |      |             |               |
|---------------------------------|------|-------------|---------------|
| W" x H"                         |      | Model No.   |               |
| 18 x 19                         |      | <b>WP18</b> |               |
| 36 x 19                         |      | <b>WP36</b> |               |
| BINS ONLY                       |      |             |               |
| Capacity per panel size         |      |             |               |
| W" x L" x H"                    | 36"W | 18"W        | Model No.     |
| 4 1/8 x 5 1/2 x 3               | 32   | 16          | <b>PB45</b>   |
| 4 1/8 x 7 1/2 x 3               | 32   | 16          | <b>PB47</b>   |
| 5 1/2 x 11 x 5                  | 18   | 9           | <b>PB511</b>  |
| 11 x 11 x 5                     | 9    | 3           | <b>PB1111</b> |
| 8 1/4 x 11 x 7                  | 8    | 4           | <b>PB811</b>  |
| 8 1/4 x 14 3/4 x 7              | 8    | 4           | <b>PB814</b>  |
| 16 1/2 x 14 3/4 x 7             | 4    | 2           | <b>PB1614</b> |

Bins have hopper fronts for instant access and label area for inventory control. Add suffix (Y) Yellow, (B) Blue.

## Wall Panel

**Save Space...  
Increase Efficiency**

Mount easily on wall or shelving...attach to carts, benches, inside cabinets, slotted angle or to service truck interior. Bins may be moved or rearranged in unlimited configurations with no adjustment to panel. 16 gauge steel with gray enamel finish. Sold 4 per carton.

## Wire Shelf Bin Storage



Provides high capacity, easy access storage for parts and supplies. Organize and identify stored items quickly and conveniently. MOBILE UNIT has 5" x 1 1/4" polyurethane swivel casters. Includes 7 shelves and stackable plastic bins, with hopper fronts. Chrome finish. Add suffix (Y) Yellow and (B) Blue.

| W" x L" | Stationary Unit       | Mobile Unit           | Bins (amount per unit) |      |
|---------|-----------------------|-----------------------|------------------------|------|
|         | 54" High<br>Model No. | 60" High<br>Model No. | 6"W x 4"H<br>12"D      | 18"D |
| 14 x 36 | <b>1436SBS</b>        | <b>1436MBS</b>        | 30                     | ---  |
| 18 x 36 | <b>1836SBS</b>        | <b>1836MBS</b>        | ---                    | 30   |
| 24 x 36 | <b>2436SBS</b>        | <b>2436MBS</b>        | 60                     | ---  |
| 36 x 36 | <b>3636SBS</b>        | <b>3636MBS</b>        | ---                    | 60   |
| 14 x 48 | <b>1448SBS</b>        | <b>1448MBS</b>        | 42                     | ---  |
| 18 x 48 | <b>1848SBS</b>        | <b>1848MBS</b>        | ---                    | 42   |
| 24 x 48 | <b>2448SBS</b>        | <b>2448MBS</b>        | 84                     | ---  |
| 36 x 48 | <b>3648SBS</b>        | <b>3648MBS</b>        | ---                    | 84   |

| EXTRA BINS   |               |
|--------------|---------------|
| W" x L" x H" | Model No.     |
| 4 x 6 x 12   | <b>SB4612</b> |
| 4 x 6 x 18   | <b>SB4618</b> |

Add Suffix Yellow (Y) or Blue (B).



# TOTE BOXES & BINS



## Stackable Plastic Bin

Use throughout your facility to keep, small inventory items organized, and easily accessible. Stackable for compact storage. Heavy duty injection molded polypropylene construction features reinforced walls for rigidity. Water, rust and corrosion resistant. Bins come in a choice of colors. Add suffix (Y) Yellow, (B) Blue.

- WIDE LEDGE ENSURES STACKING STABILITY
- EXTRA LARGE LABEL AREA
- FINGER GRIPS ENSURE SAFE HANDLING




| W" x D" x H"        | Carton Quantity | Model No. | Transparent     |                   |
|---------------------|-----------------|-----------|-----------------|-------------------|
|                     |                 |           | Cover Model No. | Divider Model No. |
| 4 1/8 x 4 1/2 x 3   | 48              | PB44      | ---             | ---               |
| 4 1/8 x 5 1/2 x 3   | 48              | PB45      | TC45            | PD45              |
| 4 1/8 x 7 1/2 x 3   | 24              | PB47      | TC47            | PD47              |
| 5 1/2 x 11 x 5      | 12              | PB511     | TC511           | PD511             |
| 11 x 11 x 5         | 6               | PB1111*   | ---             | PD511             |
| 8 1/4 x 11 x 7      | 6               | PB811*    | ---             | PD811             |
| 8 1/4 x 14 3/4 x 7  | 12              | PB814*    | ---             | PD814             |
| 16 1/2 x 14 3/4 x 7 | 6               | PB1614*   | ---             | PD1614            |

\* Accommodates 3 Dividers

| W" x D" x H"  | Carton Quantity | Model No. |
|---------------|-----------------|-----------|
| 2 x 3 1/4 x 3 | 50              | MB32      |
| 2 x 5 1/4 x 3 | 50              | MB53      |
| 4 x 2 x 4     | 50              | MB42      |

## Mini-Bin


Fits inside larger bins to create small compartments. Simplifies parts storage, removal and assembly. Yellow only.



| BOXES           |           | DIVIDERS        |      |                |      |
|-----------------|-----------|-----------------|------|----------------|------|
| W" x D" x H"    | Model No. | Short Model No. | Qty. | Long Model No. | Qty. |
| 11 x 8 x 2 1/2  | TB112     | TB112S          | 7    | TB112L         | 5    |
| 11 x 8 x 3 1/2  | TB113     | TB113S          | 7    | TB113L         | 5    |
| 11 x 8 x 4 1/2  | TB114     | TB114S          | 7    | TB114L         | 5    |
| 11 x 8 x 5      | TB115     | TB115S          | 7    | TB115L         | 5    |
| 16 x 11 x 1 3/4 | TB161     | TB161S          | 11   | TB161L         | 7    |
| 16 x 11 x 2 1/2 | TB162     | TB162S          | 11   | TB162L         | 7    |
| 16 x 11 x 3 1/2 | TB163     | TB163S          | 11   | TB163L         | 7    |
| 16 x 11 x 4 1/2 | TB164     | TB164S          | 11   | TB164L         | 7    |
| 16 x 11 x 5     | TB165     | TB165S          | 11   | TB165L         | 7    |
| 16 x 11 x 6     | TB166     | TB166S          | 11   | TB166L         | 7    |
| 16 x 11 x 7     | TB167     | TB167S          | 11   | TB167L         | 7    |
| 16 x 11 x 8     | TB168     | TB168S          | 11   | TB168L         | 7    |
| 24 x 11 x 2 1/2 | TB242     | TB242S          | 17   | TB242L         | 7    |
| 24 x 11 x 3 1/2 | TB243     | TB243S          | 17   | TB243L         | 7    |
| 24 x 11 x 4 1/4 | TB244     | TB244S          | 17   | TB244L         | 7    |
| 24 x 11 x 5     | TB245     | TB245S          | 17   | TB245L         | 7    |
| 24 x 11 x 6     | TB246     | TB246S          | 17   | TB246L         | 7    |
| 24 x 11 x 7     | TB247     | TB247S          | 17   | TB247L         | 7    |
| 24 x 11 x 8     | TB248     | TB248S          | 17   | TB248L         | 7    |
| 22 x 17 x 3 1/2 | TB223     | TB223S          | 15   | TB223L         | 11   |
| 22 x 17 x 4 1/4 | TB224     | TB224S          | 15   | TB224L         | 11   |
| 22 x 17 x 5     | TB225     | TB225S          | 15   | TB225L         | 11   |
| 22 x 17 x 6     | TB226     | TB226S          | 15   | TB226L         | 11   |
| 22 x 17 x 7     | TB227     | TB227S          | 15   | TB227L         | 11   |
| 22 x 17 x 8     | TB228     | TB228S          | 15   | TB228L         | 11   |
| 22 x 17 x 9     | TB229     | TB229S          | 15   | TB229L         | 11   |
| 22 x 17 x 10    | TB2210    | TB2210S         | 15   | TB2210L        | 11   |
| 22 x 17 x 11    | TB2211    | TB2211S         | 15   | TB2211L        | 11   |
| 22 x 17 x 12    | TB2212    | TB2212S         | 15   | TB2212L        | 11   |
| 22 x 17 x 13    | TB2213    | TB2213S         | 15   | TB2213L        | 11   |
| 22 x 17 x 14    | TB2214    | TB2214S         | 15   | TB2214L        | 11   |

## Dividable Modu-Box

Maximize storage space with these dividable, stackable heavy duty boxes. Constructed of ribbed, injection molded gray polyethylene for strength and rigidity. Easy to clean. Optional Dividers fit in molded-in grooves, on 1 1/4" centers. Optional Lids are made of clear plastic allowing contents to remain secure and visible for inventory control.



| COVERS  |       | COVERS  |       |
|---------|-------|---------|-------|
| L" x W" | Model | L" x W" | Model |
| 11 x 8  | TL11  | 24 x 11 | TL22  |
| 16 x 11 | TL16  | 22 x 17 | TL24  |



## ModuBox Parts Carrier

ModuBox Parts Carrier features adjustable slides for easy box access. Boxes slide in and out for maximum access and storage. Slides adjust on one inch increments. Chrome finish. 1,200 lb. capacity. Polyurethane casters, two with brake.

| Size"           | Model No.                | Levels |
|-----------------|--------------------------|--------|
| 21 x 24 x48     | <a href="#">21243CP4</a> | 4      |
| 21 x 24 x69     | <a href="#">21246CP7</a> | 7      |
| Extra Slides    | <a href="#">24BSC</a>    | ---    |
| Extra ModuBoxes | <a href="#">TB226</a>    | ---    |



## Packaging Workstation With Plastic Laminate Top

The large 72"L x 30"W x 1<sup>5</sup>/<sub>8</sub>" thick plastic laminate work surface provides ample work space. The large lower shelf is 60"L x 24"W and provides additional storage space. Mounted above the work surface are two 60"L adjustable shelves. The first shelf is 14"W and is shown with optional dividers and ledges to organize packing supplies. The second shelf is 18"W and provides additional storage space and a location to mount an Overhead Light. The Tape Holder/Corrugated Roll Holder option allows for a roll of corrugated paper to be suspended beneath the work surface. The Tape Holder allows multiple rows of tape to be mounted at the back of the work surface. Carton Dividers keep cartons neat and organized. Chrome finish.

| Description                        | Model No.              |
|------------------------------------|------------------------|
| Packaging Bench-72"L x 32"W x 74"H | <a href="#">PB7232</a> |

### ACCESSORIES

| Description                            | Model No.              |
|--|------------------------|
| Tape Holder and Corrugated Roll Holder | <a href="#">ACRH</a>   |
| 6 Outlet Power Center                  | <a href="#">APC6</a>   |
| Document Holder                        | <a href="#">AH</a>     |
| Divider - 8" x 14"                     | <a href="#">AD814C</a> |
| Divider - 8" x 18"                     | <a href="#">AD818C</a> |
| Ledge - 4" x 48"                       | <a href="#">AL448C</a> |
| Carton Dividers 25" (set of 3)         | <a href="#">CSD3</a>   |
| 48" Overhead light Kit                 | <a href="#">ADLK</a>   |

**NOTE: ALL OTHER ITEMS AND ACCESSORIES ARE NOT INCLUDED**

## Work Centers

Combine the storage capacity of a 24" x 48" reinforced adjustable wire shelf with a spacious 30" x 60" or 30" x 72" work surface and you have this multi-purpose **WORK CENTER**. Solid work surface makes food preparation, repairs, assembly and product handling easy.

**WORK CENTER** - Two shelves prevent dust accumulation and maximize visibility. Durable and rust resistant chrome finish. Adjustable floor levelers ensure an even work surface.

| W" x L" x H" | 1 3/4" Maple Butcher Block Top | 1 1/4" Plastic Top |
|--------------|--------------------------------|--------------------|
| 30 x 60 x 34 | <b>B3060M</b>                  | <b>B3060P</b>      |
| 30 x 72 x 34 | <b>B3072M</b>                  | <b>B3072P</b>      |

Extra Shelves: Model No. **S2448C**

**MOBILE WORKBENCH** - Features a durable work surface, a 24" x 48" shelf and 5" rubber wheel locking swivel casters that increase versatility. Load capacity: 600 lbs.

| W" x L" x H" | 1 3/4" Maple Butcher Block Top | 1 1/4" Plastic Top |
|--------------|--------------------------------|--------------------|
| 30 x 60 x 40 | <b>MB3060M</b>                 | <b>MB3060P</b>     |
| 30 x 72 x 40 | <b>MB3072M</b>                 | <b>MB3072P</b>     |

Extra Shelves: Model No. **S2448C**



### CHOOSING A TOP

**Maple Butcher Block** - This is a great all-purpose top that can handle extreme surface abuse. First it is kiln dried, and the edge is grain laminated for strength. Next it is glued, electronically cured and sanded smooth. Lastly, the maple is finished with a penetrating oil and sealed in a high quality catalyzed varnish.

**Plastic Laminate** - Super-strong and easy to clean. High pressure plastic laminate-faced wood core can handle heavy abuse and provides smooth, tough working surface for many applications. A cost effective choice.

| TOPS ONLY<br>W" x L" | 1 3/4" Maple Butcher Block Top | 1 1/4" Plastic Top |
|----------------------|--------------------------------|--------------------|
| 30 x 60              | <b>BTM630</b>                  | <b>BTP630</b>      |
| 30 x 72              | <b>BTM730</b>                  | <b>BTP730</b>      |

## Work Bench Accessories

Both leg styles are 13 gauge and feature double electrical knock outs, front and back. Legs are punched for tops, stringers and shelf attachment. Legs sold individually.

| LOWER SHELF - With 2" Back Stop<br>L" x W" | Model No.     |
|--|---------------|
| 60 x 15                                    | <b>BS6015</b> |
| 72 x 15                                    | <b>BS7215</b> |

| STRINGER - for all tops except steel<br>Length" | Model No.   |
|---|-------------|
| 60  | <b>BS60</b> |
| 72  | <b>BS72</b> |

| ADJUSTABLE LEGS            |  |               |
|----------------------------|--|---------------|
| Adjusts on 1/2" increments |  |               |
| W"                         | Height"  | Model No.     |
| 30                         | 27 <sup>5</sup> / <sub>8</sub> -35 <sup>5</sup> / <sub>8</sub> | <b>AL30</b>   |
| 36                         | 27 <sup>5</sup> / <sub>8</sub> -35 <sup>5</sup> / <sub>8</sub> | <b>AL36</b>   |
| FIXED LEGS                 |  |               |
| 30                         | 28   | <b>FL3028</b> |
| 36                         | 28   | <b>FL3628</b> |
| 30                         | 32   | <b>FL3032</b> |
| 36                         | 32   | <b>FL3632</b> |

**Note:** Mounting hardware not included with legs.

## Legs



## Choose Square Edge or Ergonomic *Safety Edge* Bench Tops\*

### MAPLE



Maple Butcher block is kiln dried, glued electronically, cured and sanded smooth. Finished with a penetrating mineral oil protectant. Available in two styles, standard 1<sup>3</sup>/<sub>4</sub>" or extra strong 2<sup>1</sup>/<sub>4</sub>" thick. You can't buy a better all-purpose top.

| L" x W" | 1 <sup>3</sup> / <sub>4</sub> " thick Model No. | 2 <sup>1</sup> / <sub>4</sub> " thick Model No. |
|---------|---|---|
| 60 x 30 | <a href="#">BTM630</a>                          | <a href="#">BTM630HD</a>                        |
| 72 x 30 | <a href="#">BTM730</a>                          | <a href="#">BTM730HD</a>                        |
| 72 x 36 | <a href="#">BTM736</a>                          | <a href="#">BTM736HD</a>                        |


### MAPLE SAFETY EDGE



Solid maple strips glued together and electronically cured. The top is kiln dried, sanded smooth and finished with a penetrating oil protectant. Rounded front safety edge protects workers from leaning against sharp edges. 1<sup>3</sup>/<sub>4</sub>" thick.

| L" x W" | Model No.               |
|---------|-------------------------|
| 60 x 30 | <a href="#">BTM630S</a> |
| 72 x 30 | <a href="#">BTM730S</a> |
| 72 x 36 | <a href="#">BTM736S</a> |


### PLASTIC



Super-strong, easy to clean, high pressure, light gray plastic laminate-faced wood core takes heavy abuse, provides smooth, tough working surface for many applications. 1<sup>5</sup>/<sub>8</sub>" thick.

| L" x W" | Model No.                |
|---------|--------------------------|
| 60 x 30 | <a href="#">BTP630HD</a> |
| 72 x 30 | <a href="#">BTP730HD</a> |
| 72 x 36 | <a href="#">BTP736HD</a> |


### PHENOLIC RESIN



Chemical resistant bench tops are great for use in laboratories. Made of 1" thick black phenolic resin that withstands moisture and resists chemicals. Impact resistant for superior strength. Rounded front Safety Edge.

| L" x W" | Model No.              |
|---------|------------------------|
| 60 x 30 | <a href="#">BTR630</a> |
| 72 x 30 | <a href="#">BTR730</a> |
| 72 x 36 | <a href="#">BTR736</a> |


### SHOP TOP SAFETY EDGE



Clear lumber edge bands are faced on two sides with <sup>3</sup>/<sub>8</sub>" thick super hard 62 lb. density custom resin board for liquid resistance. Available in two thicknesses, 1<sup>3</sup>/<sub>4</sub>" which has a particle board core, or 2<sup>1</sup>/<sub>4</sub>" thick with a solid hardwood core for extra durability. Both tops come with a rounded safety front edge.

| L" x W" | 1 <sup>3</sup> / <sub>4</sub> " thick Model No. | 2 <sup>1</sup> / <sub>4</sub> " thick Model No. |
|---------|---|---|
| 60 x 30 | <a href="#">BTS630</a>                          | <a href="#">BTS630HD</a>                        |
| 72 x 30 | <a href="#">BTS730</a>                          | <a href="#">BTS730HD</a>                        |
| 72 x 36 | <a href="#">BTS736</a>                          | <a href="#">BTS736HD</a>                        |

### PLASTIC SAFETY EDGE



High pressure, light gray plastic laminate work surface over a particle board core. Rounded front safety edge helps to provide more comfort for the worker. Plastic work surface is easy to clean and durable for most applications. 1<sup>5</sup>/<sub>8</sub>" thick.

| L" x W" | Model No.               |
|---------|-------------------------|
| 60 x 30 | <a href="#">BTP630S</a> |
| 72 x 30 | <a href="#">BTP730S</a> |
| 72 x 36 | <a href="#">BTP736S</a> |


### ASH SAFETY EDGE



Ash Butcher Block top is kiln dried, sanded smooth and finished with a penetrating oil protectant. A heavy duty, good-looking top at an affordable price. 1<sup>3</sup>/<sub>4</sub>" thick top has rounded front safety edge to protect workers.

| L" x W" | Model No.              |
|---------|------------------------|
| 60 x 30 | <a href="#">BT630A</a> |
| 72 x 30 | <a href="#">BT730A</a> |
| 72 x 36 | <a href="#">BT736A</a> |


### STEEL



Steel 12 gauge top won't crack or buckle. Top has heavy duty flanged construction and comes with stringer to connect bench legs.

| L" x W" | Model No.               |
|---------|-------------------------|
| 60 x 30 | <a href="#">BTST630</a> |
| 72 x 30 | <a href="#">BTST730</a> |
| 72 x 36 | <a href="#">BTST736</a> |

### ANTI-STATIC



Prevents damage to sensitive electronic circuitry during assembly. White plastic top dissipates 5000 volts of static electricity in .01 seconds. Cleans easily. Complies MIL-B817058 and 101B, Method 4046, 1<sup>1</sup>/<sub>4</sub>" thick.

| L" x W" | SQUARE EDGE Model No.  | SAFETY EDGE Model No.   |
|---------|------------------------|-------------------------|
| 60 x 30 | <a href="#">BTA630</a> | <a href="#">BTA630S</a> |
| 72 x 30 | <a href="#">BTA730</a> | <a href="#">BTA730S</a> |
| 72 x 36 | <a href="#">BTA736</a> | <a href="#">BTA736S</a> |

\*Mounting hardware not included with top.

## Heavy Duty Lan Station



SHOWN WITH  
OPTIONAL  
ACCESSORIES

OPTIONAL CASTER BASE  
PROVIDES MOBILITY

Our Heavy-Duty LAN Stations accommodate any LAN environment - no matter how many monitors, servers or printers you have. **16 gauge steel-reinforced stations** feature a 30"D, 29"H, 1 1/8" thick plastic laminate work surface to handle even the largest monitors, leaving plenty of workspace. **Includes Two 18"D upper shelves** that are height adjustable on 2" increments. 27"D lower shelf is ideal for housing multiple servers. All shelves are 3/4" thick plastic laminate. 24" upper shelves support up to 235 lbs. each, 48"-72" up to 350 lbs. each and up to 500 lbs. each for the 96". Each unit offers triple-leg support (dual leg on 24" unit) with four lateral braces for added stability. **Now includes two Vertical Cable Management Channels** that attach to any leg to neatly organize and keep all cables out of the way. Add caster base with 3" swivel casters for easy office mobility. **Optional LCD Tracks** are height adjustable on 2" increments to securely mount flat panel monitors to LAN station at the ideal viewing height. Includes 2 monitor mounts that swivel 180 degrees. Additional mounts sold separately. Gray powder coat finish. Assembles easily.

### LAN STATION

| W" x D" x H" | Model No. | W" x D" x H" | Model No. |
|--------------|-----------|--------------|-----------|
| 24 x 30 x 74 | LS24      | 72 x 30 x 74 | LS72      |
| 48 x 30 x 74 | LS30      | 96 x 30 x 74 | LS96      |

| Description                                 | Model No. |
|---|-----------|
| 24" Caster Base                             | CB24      |
| 48" Caster Base                             | CB48      |
| 72" Caster Base                             | CB72      |
| 96" Caster Base                             | CB96      |
| LCD Track for 24" LAN                       | LCD24     |
| LCD Track for 48" LAN                       | LCD48     |
| LCD Track for 72" LAN                       | LCD72     |
| LCD Track for 96" LAN                       | LCD96     |
| Additional Monitor Mount                    | AMM       |
| 24"W Additional Shelf (set of 2)            | AS24      |
| 48"W Additional Shelf                       | AS48      |
| 72"W Additional Shelf                       | AS72      |
| 96"W Additional Shelf                       | AS96      |
| Wire Keyboard Holder                        | AKH       |
| 48"-16" Outlet Power Strip, 15amp, 15' Cord | AES16     |



**Keyboard Tray with wrist rest and Mouse Tray.** Mounts below the work surface. Both adjust up to 5 3/4", tilts ± 15° and swivels 360°. Slides out of the way when not in use. Mouse Tray can be mounted for left or right hand users.

| Description   | Model No. |
|---------------|-----------|
| Keyboard Tray | AKDW      |
| Mouse Tray    | AMT       |



**Wire Keyboard Holder.** Supports your keyboard on top shelves for easy viewing. Attaches to bottom of shelf.

| Model No. | AKH |
|-----------|-----|
|-----------|-----|



**60"W LAN STATION WITH OPTIONAL KEYBOARD DRAWER, MOUSE TRAY, SHELF LEDGES, DOCUMENT HOLDER AND CASTERS.**

## Wire Lan Workstations

Designed to support and consolidate all your Local Area Network (LAN) equipment. This extra strong Workstation features an extra-deep 30", gray laminated work surface to accommodate all your networked computer space needs. Comes complete with four posts and three 18"D wire shelves. 74" high overall. Optional accessories include keyboard drawer, shelf ledges, shelf dividers and document holder. Chrome finish.



**30"W LAN STATION WITH OPTIONAL KEYBOARD DRAWER AND DOCUMENT HOLDER.**

| LEDGES | Model No. |
|--------|-----------|
| 18"    | AL418C    |
| 30"    | AL430C    |
| 60"    | AL460C    |
| 72"    | AL472C    |

| Description                          | Model No. |
|--------------------------------------|-----------|
| 30"W LAN Workstation                 | WLS30     |
| 60"W LAN Workstation                 | WLS60     |
| 72"W LAN Workstation                 | WLS72     |
| Shelf Divider 8" high                | AD818C    |
| Slide-out Keyboard Shelf 23"W x 11"D | AKD211    |
| Mouse Holder                         | AMT       |
| Document Holder                      | AH        |
| Polyurethane Casters (2 with Brakes) | CA5SB     |



**W" x D" x H" Model No.**  
31 1/2 x 24 x 63 CWC3124

## Complete Mobile Computer Workcenter

In your facility, office or warehouse, this workcenter rolls wherever you need it and uses minimal space! Two adjustable upper shelves (31 1/2"W x 12"D) easily accommodate computer accessories and supplies. Large 31 1/2"W x 17 1/2"D work surface made of 1/2" thick stain and scratch resistant lacquered fiberboard. Adjustable height slide-out keyboard/mouse drawer (27"W x 13 1/2"D) and 12"D lower storage shelf. 3" rubber casters (two locking) allow for easy mobility. Entire workcenter is adjustable in 1" increments. Chrome finish.



## Server Station

Perfect for storing all the servers that support your LAN environment. Complete with bottom server shelf and two 18"D shelves which are adjustable in 2" increments. All shelves are 3/4" thick gray plastic laminate. 24"W x 30"D x 74"H. Add additional shelves for more storage and a 24"W caster base for mobility. Gray powder coat finish.

| Description            | Model No. |
|------------------------|-----------|
| Server Station         | SS24307   |
| 24"W Shelf (Set of 2)  | SSA24     |
| 24"W Shelf Caster Base | CB24      |

**SHOWN WITH TWO ADDITIONAL SHELVES**

## LAN Wire Shelving

**Open Wire Shelving System** has a 1600 lb. capacity for storage of computer equipment, CPU's, monitors, keyboards, etc. No tools necessary, slide shelf over post and clip to lock in place. Shelves adjust in 1" increments. Adjustable floor levelers for irregular surfaces. **Shelving consists of four shelves**, four posts and shelf clips to secure shelf to post. **Printer Shelving** comes with three shelves. **Additional Shelves** also available. Add **4"H Ledges** to front, back or sides of shelves to prevent items from falling. **8"H high dividers** attach to any point along shelf. Add an **adjustable wire Keyboard Drawer** with wrist rest to any shelf. Supports keyboards up to 23"W x 11"D. Features a 6" height and  $\pm 9^\circ$  angle adjustment. All units are chrome finish except as noted. \*Add four polyurethane casters (2 with Brake) to make units Mobile.



SHOWN WITH OPTIONAL DOCUMENT HOLDER, SHELF LEDGES AND CASTERS


| LAN SHELVING                   |                                  |           |
|--------------------------------|----------------------------------|-----------|
| 63" HIGH<br>4 Shelf<br>W" x L" | 74" HIGH<br>4 Shelf<br>Model No. | Model No. |
| 18 x 36                        | 18366C                           | 18367C    |
| 18 x 48                        | 18486C                           | 18487C    |
| 18 x 60                        | 18606C                           | 18607C    |
| 24 x 36                        | 24366C                           | 24367C    |
| 24 x 48                        | 24486C                           | 24487C    |
| 24 x 60                        | 24606C                           | 24607C    |

| PRINTER SHELVING |           |
|------------------|-----------|
| L" x W" x H"     | Model No. |
| 18 x 24 x 39     | PS18243C  |
| 18 x 24 x 59     | PS18245C  |

## Accessories



| LEDGES |           |
|--------|-----------|
| Size"  | Model No. |
| 18     | AL418C    |
| 24     | AL424C    |
| 36     | AL436C    |
| 48     | AL448C    |
| 60     | AL460C    |



| DIVIDERS |           |
|----------|-----------|
| Size"    | Model No. |
| 18       | AD818C    |
| 24       | AD824C    |



| KEYBOARD DRAWER<br>21"W x 11"D |           |
|--------------------------------|-----------|
| Description                    | Model No. |
| Chrome                         | AKD211    |

| SHELVES |           |
|---------|-----------|
| W" x L" | Model No. |
| 18 x 24 | S1824C    |
| 18 x 36 | S1836C    |
| 18 x 48 | S1848C    |
| 18 x 60 | S1860C    |
| 24 x 36 | S2436C    |
| 24 x 48 | S2448C    |
| 24 x 60 | S2460C    |

| CASTERS   |           |
|---|-----------|
| Description   | Model No. |
| 5" Polyurethane Casters<br>2 with Brake<br>(Set of 4) | CA5SB     |

| POST  |           |
|-------|-----------|
| Size" | Model No. |
| 63    | P63C      |
| 74    | P74C      |

Additional shelves in add-on unit need 2 S-Hooks per shelf to be ordered separately.

| Model No. | AS |
|-----------|----|
|-----------|----|



SHOWN WITH OPTIONAL DOCUMENT HOLDER AND LEDGES

## Computer/Instrument Cart

Transport and store anything from bulky parts to sensitive equipment. Includes non-conductive clear polypropylene shelf liners. Shelves adjust on 1" increments. Shock absorbing 8" pneumatic wheels (two swivel, two rigid) allow easy mobility. Corner bumpers help protect walls. 44" overall height 1200 lb. capacity. Chrome finish.

### INSTRUMENT CART

| Size"   | 2 Shelf Model No. | 3 Shelf Model No. |
|---------|-------------------|-------------------|
| 24 x 36 | IC24362C          | IC24363C          |
| 24 x 48 | IC24482C          | IC24483C          |
| 24 x 60 | IC24602C          | IC24603C          |

### LEDGES - 4" HIGH

| Size" | Model No. |
|-------|-----------|
| 24    | AL424C    |
| 36    | AL436C    |
| 48    | AL448C    |
| 60    | AL460C    |

### DOCUMENT HOLDER

| Model | AH |
|-------|----|
|       |    |

## Mail Cart/Service Cart

Constructed of 1" tubular chrome finished 18 gauge steel. Accommodates letter or legal size hanging file folders. Chrome finish.



### MAIL CART/SERVICE CART

Collect and deliver mail, packages, inventory and tools. **Removable baskets make sorting and loading simple.** File rails included to accommodate hanging files. Carts feature gray non-marring wheels, two 5" dia. polyurethane swivel casters and two 10" semi-pneumatic rear wheels. Cushioned push handle for comfort. **STANDARD CART** has a 25"L x 17<sup>1</sup>/<sub>4</sub>"W x 11"D upper basket and a 25"L x 17<sup>1</sup>/<sub>4</sub>"W x 7<sup>1</sup>/<sub>2</sub>"D lower basket. **DELUXE CART** has a 36"L x 17<sup>1</sup>/<sub>4</sub>"W x 11"D upper basket and a 36"L x 17<sup>1</sup>/<sub>4</sub>"W x 7<sup>1</sup>/<sub>2</sub>"D lower basket. 250 lb. capacity.

| Description | L" x W" x H" | Model No. |
|-------------|--------------|-----------|
| Standard    | 33 x 24 x 38 | SC33243   |
| Deluxe      | 43 x 24 x 38 | SC43243   |

## Computer Workstation



SHOWN WITH OPTIONAL DOCUMENT HOLDER AND CASTERS

Transport computer and electronic equipment with ease. Choose 34" high or 42" high standing workstation. Open wire design minimizes dust accumulation and maximizes light and air circulation. Three 24"W x 30"L shelves adjust on 1" increments. Sliding keyboard shelf with cushioned wrist rest accepts keyboards up to 21"W x 11"D. 6" height adjustment to ensure a comfortable typing position. Chrome finish. 1200 lb. capacity.

| Description               | Model No. |
|---------------------------|-----------|
| 3 Tier Unit - 34" High    | PS24303C  |
| 3 Tier Unit - 42" High    | PS24304C  |
| Extra Shelf (24"W x 30"L) | S2430C    |
| Document Holder           | AH        |

| OPTIONAL CASTERS - Swivel, 2 with brake |          |           |
|---|----------|-----------|
| Description                             | Capacity | Model No. |
| 2" Dual Wheel                           | 360 lb.  | CA2BN4    |
| 5" Polyurethane Wheel                   | 1200 lb. | CA5B      |



REMOVABLE LOWER BASKET

**MAIL CART** with two 4" swivel rubber front casters and two rigid semi pneumatic rear wheels, has a 36" x 16" x 11"H top basket and a removable 35" x 15<sup>3</sup>/<sub>4</sub>" x 7" lower basket. File rails included to accommodate hanging files. Chrome finish. 200 lb. capacity.

| L" x W" x H" | Model No. |
|--------------|-----------|
| 44 x 22 x 35 | SC16362   |



## Swivel Chair

### Height Adjustable Seat and Foot Ring

Pneumatic height adjustable seat is 19<sup>1</sup>/<sub>2</sub>"W x 18<sup>1</sup>/<sub>2</sub>"D x 2<sup>1</sup>/<sub>2</sub>" thick. 360 degree foot rest adjusts independently. Contoured 16"W x 10"H x 1" thick back adjusts up to 4" vertically and 2<sup>1</sup>/<sub>2</sub>" in or out for personal support. Includes nylon floor glides.

#### SWIVEL CHAIR WITHOUT ARMS

| Adj. Height | Black Vinyl Model No. | Gray Fabric Model No. |
|-------------|-----------------------|-----------------------|
| 17-21       | SC17BK                | ---                   |
| 21-25       | SC22BK                | SC22GY                |
| 25-30       | SC27BK                | SC27GY                |

#### SWIVEL CHAIR WITH HANDLEBAR ARMS

#### SWIVEL CHAIR WITH FIXED T-ARMS

| Adj. Height | Black Vinyl Model No. | Gray Fabric Model No. |
|-------------|-----------------------|-----------------------|
| 17-21       | SCF17BK               | ---                   |
| 21-25       | SCF22BK               | SCF22GY               |
| 25-30       | SCF27BK               | SCF27GY               |

#### SWIVEL CHAIR WITH LOOP ARMS

| Adj. Height | Black Vinyl Model No. | Gray Fabric Model No. |
|-------------|-----------------------|-----------------------|
| 17-21       | SCL17BK               | ---                   |
| 21-25       | SCL22BK               | SCL22GY               |
| 25-30       | SCL27BK               | SCL27GY               |

#### SWIVEL CHAIR WITH ADJUSTABLE T-ARMS

| Adj. Height | Black Vinyl Model No. | Gray Fabric Model No. |
|-------------|-----------------------|-----------------------|
| 17-21       | SCA17BK               | ---                   |
| 21-25       | SCA22BK               | SCA22GY               |
| 25-30       | SCA27BK               | SCA27GY               |



ADJUSTABLE FOOTRING



Casters Optional 2" plastic hooded ball casters for mobility.

#### Choose the Arms That Fit Your Needs!



T-Armrests fixed position, textured polyurethane over steel.



Loop-Armrests place user close to desk. Round edge polyurethane over steel construction for lifetime durability.



Adjustable T-Armrests position as needed. Self skinned polyurethane over steel.

#### CASTERS (Set of 5)

Model CA2BP5

## Dynamic Design Pneumatic Production Stool

### With "Comfort Plus" Footrest

Convenient production stool has a front mounted footrest that moves with the seat when turning or adjusting. Pneumatic height adjusts from 25" -29". Extra large, 19<sup>1</sup>/<sub>2</sub>" x 18<sup>1</sup>/<sub>2</sub>" x 2<sup>1</sup>/<sub>2</sub>" thick seat. 16"W x 10"H back adjusts 4" up or down and 2<sup>1</sup>/<sub>2</sub>" in or out. Available in Black vinyl, woven gray or blue nylon fabric upholstery. Sturdy 5 blade base. Nylon floor glides. Add optional casters for mobility. Increases chair height 2<sup>1</sup>/<sub>2</sub>".

| Stool Type          | Black Vinyl Model No. | Gray Fabric Model No. | Blue Fabric Model No. |
|---------------------|-----------------------|-----------------------|-----------------------|
| Armless             | PS17BK                | PS17GY                | PS17BL                |
| T-Arms              | PS17TBK               | PS17TGY               | PS17TBL               |
| Loop Arms           | PS17LBK               | PS17LGY               | PS17LBL               |
| Adj. T-Arms         | PS17ABK               | PS17AGY               | PS17ABL               |
| Casters (pkg. of 5) |                       | CA2BP5                |                       |



## Height Adjustable Steel Stools



Heavy duty 18 gauge x 7/8" tubular steel electrically seam-welded construction assures strength and rigidity. Convenient steel foot ring. Telescoping legs adjust on 1" increments. Choice of 14" steel/hardboard or gray vinyl upholstered seat. Adjustable 12"W x 5 3/4"H curved steel or vinyl upholstered backrest. Durable gray baked enamel finish. Sold 2 per package of a model.

**A. STEEL HARDBOARD ROUND SEAT WITH BACKREST**

| Adj. Height" | Model No. |
|--------------|-----------|
| 18-27        | HBRB18    |
| 24-33        | HBRB24    |

**B. STEEL HARDBOARD SEAT**

| Adj. Height" | Model No. |
|--------------|-----------|
| 18-27        | HB18      |
| 24-33        | HB24      |

**C. STEEL HARDBOARD SQUARE SEAT WITH BACKREST**

| Adj. Height" | Model No. |
|--------------|-----------|
| 18-27        | HBSB18    |
| 24-33        | HBSB24    |

**D. UPHOLSTERED SEAT AND BACKREST**

| Adj. Height" | Model No. |
|--------------|-----------|
| 18-27        | UPSB18    |
| 24-33        | UPSB24    |

**E. UPHOLSTERED SEAT**

| Adj. Height" | Model No. |
|--------------|-----------|
| 18-27        | UPS18     |
| 24-33        | UPS24     |

## Comfort Stools



**Extra Thick 5" Seat!**

Height Adjusts 19" to 25 1/2"

Stool is ideal for warehouse, factory or machine shop use. Height is manually adjustable from 19" to 25 1/2". Large 14" diameter 5" thick vinyl seat and adjustable back. Chrome base and foot ring. Four 2" nylon twin wheel casters for mobility.

| Description     | Black Model No. | Gray Model No. | Blue Model No. |
|-----------------|-----------------|----------------|----------------|
| Stool           | CS14BK          | CS14GY         | CS14BL         |
| Stool with Back | CS14BBK         | CS14BGY        | CS14BBL        |

## Ergonomic Work Stand



15° LOCK-IN TILT CONTROL

**Lets You Sit While Standing!**

Ergonomically designed work stand is great when working for long periods of time on machinery or assembly line. Waterfall contour seat allows proper leg circulation. Self skinned polyurethane padded seat for durability and comfort. Tilt control knob allows 14" W x 10"D seat to rock with you, or can be locked for stability. 21" to 31" pneumatic height adjustment for easy operator positioning. Five prong 24" molded base has rubber pads for stability.

Model No. **ERG010**

## Contoured Plastic Stool



PNEUMATIC HEIGHT ADJUSTMENT

Contoured design promotes good posture and features ventilation slot for comfort. Molded polypropylene seat with black tubular frame for strength and durability. Easy to clean 17"W x 16"D seat and 16"sq. back. Pneumatic 21"-31" seat height adjustment. Height adjustable 7 3/4"-17 3/4" 360° foot rest. Five blade caster base. Easy assembly. 1 Year Limited Warranty.

| Description     | Model No. |
|-----------------|-----------|
| Plasti Stool    | PLAS17    |
| Optional Glides | STGL      |



## METRIC CONVERSION CHART

| INCHES | MM   | INCHES | MM   |
|--------|------|--------|------|
| 1      | 25   | 49     | 1245 |
| 2      | 51   | 50     | 1270 |
| 3      | 76   | 51     | 1295 |
| 4      | 102  | 52     | 1321 |
| 5      | 127  | 53     | 1346 |
| 6      | 152  | 54     | 1372 |
| 7      | 178  | 55     | 1397 |
| 8      | 203  | 56     | 1422 |
| 9      | 229  | 57     | 1448 |
| 10     | 254  | 58     | 1473 |
| 11     | 279  | 59     | 1499 |
| 12     | 305  | 60     | 1524 |
| 13     | 330  | 61     | 1549 |
| 14     | 356  | 62     | 1575 |
| 15     | 381  | 63     | 1600 |
| 16     | 406  | 64     | 1626 |
| 17     | 432  | 65     | 1651 |
| 18     | 457  | 66     | 1676 |
| 19     | 483  | 67     | 1702 |
| 20     | 508  | 68     | 1727 |
| 21     | 533  | 69     | 1753 |
| 22     | 559  | 70     | 1778 |
| 23     | 584  | 71     | 1803 |
| 24     | 610  | 72     | 1829 |
| 25     | 635  | 73     | 1854 |
| 26     | 660  | 74     | 1880 |
| 27     | 686  | 75     | 1905 |
| 28     | 711  | 76     | 1930 |
| 29     | 737  | 77     | 1956 |
| 30     | 762  | 78     | 1981 |
| 31     | 787  | 79     | 2007 |
| 32     | 813  | 80     | 2032 |
| 33     | 838  | 81     | 2057 |
| 34     | 864  | 82     | 2083 |
| 35     | 889  | 83     | 2108 |
| 36     | 914  | 84     | 2134 |
| 37     | 940  | 85     | 2159 |
| 38     | 965  | 86     | 2184 |
| 39     | 991  | 87     | 2210 |
| 40     | 1016 | 88     | 2235 |
| 41     | 1041 | 89     | 2261 |
| 42     | 1067 | 90     | 2286 |
| 43     | 1092 | 91     | 2311 |
| 44     | 1118 | 92     | 2337 |
| 45     | 1143 | 93     | 2362 |
| 46     | 1168 | 94     | 2388 |
| 47     | 1194 | 95     | 2413 |
| 48     | 1219 | 96     | 2438 |

|  |           |
|--|-----------|
| Accessories, Wire Shelving.....        | 11, 28-30 |
| Bin Storage Units .....                | 48        |
| Bench Tops.....                        | 52        |
| Boxes and Bins.....                    | 49        |
| Cart Covers .....                      | 30        |
| Carts, Computer and Office.....        | 56        |
| Cart, Utility.....                     | 38-40     |
| Casters .....                          | 31        |
| Dolly Base .....                       | 31        |
| Dunnage Frame.....                     | 12        |
| Enclosure Panels.....                  | 19        |
| Garment Storage .....                  | 24        |
| LAN Stations .....                     | 53-55     |
| Lockers.....                           | 44-45     |
| Merchandisers .....                    | 15,16     |
| Parts and Accessories .....            | 11, 28-30 |
| Parts Carrier .....                    | 50        |
| Pick Racks and Trucks .....            | 21        |
| Posts.....                             | 5         |
| Rack, Container.....                   | 12        |
| Racks, Dunnage .....                   | 13        |
| Seating .....                          | 57,58     |
| Security, Units and Trucks.....        | 46-47     |
| Shelf, Liners.....                     | 30        |
| Shelving, Types .....                  | 2-4       |
| Shelving, Adjustable .....             | 10        |
| Shelving, Cantilever.....              | 14,18     |
| Shelving, Heavy Duty .....             | 12        |
| Shelving, Plastic .....                | 10,11     |
| Shelving, Rivet Lock.....              | 25        |
| Shelving, Slant.....                   | 15        |
| Shelving, Solid .....                  | 9         |
| Shelving, Wall Mount.....              | 18,19     |
| Shelving, Wide Span .....              | 26,27     |
| Shelving, Wine.....                    | 16        |
| Shelving, Wire .....                   | 5-8       |
| Shelving, Wire Bin .....               | 20,21     |
| Space-Trac, High Density Shelving..... | 22,23     |
| Trucks and Carts, Specialty.....       | 43        |
| Trucks, Exchange and Linen .....       | 36,37     |
| Trucks, Hand .....                     | 41        |
| Trucks, Platform .....                 | 42        |
| Trucks, Solid Steel Shelf .....        | 34        |
| Trucks, Tray .....                     | 35        |
| Trucks, Wire Shelf .....               | 32,33     |
| Wall Grid.....                         | 17        |
| Wire Containers.....                   | 19        |
| Work Benches and Centers .....         | 50-52     |

Most Nexel units shown in this catalog can be customized to suit individual requirements. Check with your Nexel sales representative for details.

Most Nexel food service products are listed by the National Sanitation Foundation. For specific items, please consult the latest NSF food service listing.



**INDUSTRIAL**



**HEALTH CARE**



**COMMERCIAL**



**FOOD SERVICE**

11 Harbor Park Drive  
Port Washington, NY 11050  
U.S.A.

**1-800-245-6682**

NY: 1-516-484-5225 | FAX: 1-516-625-0084

E-mail: [nexelinfo@nexelwire.com](mailto:nexelinfo@nexelwire.com)

[www.nexelwire.com](http://www.nexelwire.com)

**DISTRIBUTED BY**

NO411